

RPM DELO MOTOR OIL SAE 15W-40

MSDS Number

BDHDV

National Stock Number

9150-00-186-6706

Product Name

RPM DELO MOTOR OIL SAE 15W-40

Manufacturer

CHEVRON ENVIRONMENTAL HEALTH CENTER INC

Product Identification

Product ID:RPM DELO MOTOR OIL SAE 15W-40

MSDS Date:10/22/1985

FSC:9150

NIIN:00-186-6706

MSDS Number: BDHDV

Responsible Party

CHEVRON ENVIRONMENTAL HEALTH CENTER INC

15299 SAN PABLO AVE

RICHMOND , CA 94804

Emergency Phone: 415-233-3737

Cage: 0AHD1

Contractor

CHEVRON ENVIRONMENTAL HEALTH CENTER INC

4054

RICHMOND, CA 94804

US

800-582-3835

Cage: 0AHD1

Ingredients

REFINED BASE OIL

CAS: 64742-54-7

RTECS: PY8035500

OSHA PEL5 MG/CUM(OIL MIST)

ACGIH TLV: 5 MG/CUM(OIL MIST)

REFINED BASE OIL

CAS: 64742-65-0

RTECS: PY8038500

OSHA PEL5 MG/CUM (OIL MIST)

ACGIH TLV: 5 MG/CUM (OIL MIST)

DETERGENT INHIBITOR(CONTAINS ZINC

DETERGENT INHIBITOR(CONTAINS CALCIUM PHENATE)

Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Health Hazards Acute and Chronic:EXPECTED TO CAUSE NO MORE THAN MINOR SKIN OR EYE IRRITATION WHEN CONTACTED; BREATHING MINERAL OIL MIST AT CONCENTRATIONS IN AIR THAT EXCEED THE PEL CAN CAUSE RESPIRATORY IRRITATION OR DISCOMFORT.
Effects of Overexposure:IRRITATION
Medical Cond Aggravated by Exposure:NONE STATED.

First Aid

First Aid:EYE:FLUSH WITH FRESH WATER FOR AT LEAST 15 MINUTES WHILE HOLDING EYELIDS OPEN; SKIN:WASH WITH SOAP & WATER,LAUNDER CONTAMINATED CLOTHING; INH:REMOVE TO FRESH AIR,SEE A PHYSICIAN IF IRRITATION CONTINUE S; ING:GIVE WATER OR MILK TO DRINK & SEEK MEDICAL ADVICE.

Fire Fighting

Flash Point Method:COC
Flash Point:410F/210C
Extinguishing Media:CO*2,DRY CHEMICAL,FOAM,WATER FOG
Fire Fighting Procedures:WEAR PROPER PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NONE STATED

Accidental Release

Spill Release Procedures:STOP SOURCE OF THE LEAK OR RELEASE.CONTAIN LIQUID TO PREVENT FURTHER CONTAMINATION OF SOIL,SURFACE WATER OR GROUNDWATER.CLEAN UP SPILL WITH ABSORBENT MATERIALS OR PUMPING.REMOVE CONTAMINATED SOIL.FOLL OW PRESCRIBED PROCEDURES FOR REPORTING.
Neutralizing Agent:NONE

Handling

Handling and Storage Precautions:DO NOT WELD,HEAT OR DRILL CONTAINER.RESIDUE MAY IGNITE WITH EXPLOSIVE VIOLENCE IF HEATED SUFFICIENTLY.

Exposure Controls

Respiratory Protection:NORMALLY NONE.
Ventilation:NORMAL VENTILATION
Protective Gloves:OIL IMPERVIOUS
Eye Protection:SAFETY GLASSES OR GOGGLES
Other Protective Equipment:IMPERVIOUS CLOTHING
Supplemental Safety and Health

Chemical Properties

HCC:V6
Spec Gravity:0.89
pH:7
Viscosity:13.8 CST(100C
Solubility in Water:INSOLUBLE
Appearance and Odor:DARK AMBER LIQUID

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDING MATERIALS
Stability Condition to Avoid:NONE STATED
Hazardous Decomposition Products:CO*2;OXIDES OF SULFUR,NITROGEN & PHOSPHORUS;CO.

Disposal

Waste Disposal Methods:PLACE CONTAMINATED MATERIALS IN DISPOSABLE

CONTAINERS,& FOLLOW APPLICABLE REGULATIONS. CONTACT LOCAL ENVIRONMENTAL OR HEALTH AUTHORITIES FOR APPROVED DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.