

## **703-200**

### **MSDS Number**

BDLKD

### **National Stock Number**

8010-00-234-5176

### **Product Name**

703-200

### **Manufacturer**

AMERON PROTECTIVE COATINGS

### **Product Identification**

Product ID: 703-200  
MSDS Date: 01/01/1987  
FSC: 8010  
NIIN: 00-234-5176  
MSDS Number: BDLKD

### **Responsible Party**

AMERON PROTECTIVE COATINGS  
201 NORTH BERRY STREET  
BREA, CA 92622-1020  
US  
Emergency Phone: 714-529-1951  
Info Phone: 714-529-1951  
Cage: 0Y2E4

### **Contractor**

AMERON PROTECTIVE COATINGS  
1020  
BREA, CA 92622-1020  
US  
714-529-1951  
Cage: 0Y2E4

### **Ingredients**

BENZIN, NAPHTHA, MINERAL SPIRITS, PETROLEUM NAPHTHA  
CAS: 8030-30-6  
RTECS: DE3030000  
OSHA PEL100 PPM  
ACGIH TLV: 300 PPM

### **Hazards**

Routes of Entry: Inhalation: YES Skin: NO Ingestion: NO  
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO  
Health Hazards Acute and Chronic: INHALATION: ANESTHETIC. IRRITATION OF  
RESPIRATORY TRACT. MAY CAUSE NERVOUS SYSTEM DEPRESSION. SKIN/EYES:  
IRRITATION.  
Effects of Overexposure: IRRITATION

### **First Aid**

First Aid: SKIN/EYES: FLUSH W/WATER. INHALATION: REMOVE TO FRESH AIR.

OBTAIN MEDICAL ATTENTION IN ALL CASES.

## Fire Fighting

Flash Point Method:TCC

Flash Point:100F

Lower Limits:1.1

Extinguishing Media:SMALL FIRES: CO2/DRY CHEMICAL. LARGE FIRES: FOAM

Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS FOR FIREMEN.

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS EXPOSED TO HEAT MAY EXPLODE.

## Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. AVOID BREATHING VAPORS. REMOVE W/INERT ABSORBENT & NON-SPARKING TOOLS.

## Handling

Handling and Storage Precautions:DON'T STORE ABOVE 120F. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED FOR STORAGE OF NFPA CLASS ONE FLAMMABLES.

Other Precautions:CONTAINERS SHOULD BE GROUNDED WHEN POURING. AVOID FREE FALL OF LIQUID IN EXCESS OF FEW INCHES.

## Exposure Controls

Respiratory Protection:USE NIOSH APPROVED PAINT RESPIRATOR/AIR SUPPLIED RESPIRATOR. RESPIRATOR USED BASED ON CHEMICAL CONDITION & CONDITIONS OF USE.

Ventilation:PROVIDE GENERAL DILUTION/LOCAL EXHAUST AS NECESSARY.

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

## Chemical Properties

HCC:F4

Boiling Pt:B.P. Text:270-390F

Vapor Density:>1

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:54

## Stability

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:FIRE, HEAT, HOT SURFACES

## Disposal

Waste Disposal Methods:DISPOSE IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS. DON'T INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.