

ROYCO 49B

MSDS Number

BDLPH

National Stock Number

9150-00-235-5555

Product Name

ROYCO 49B

Manufacturer

ROYAL LUBRICANTS CO INC

Product Identification

Product ID:ROYCO 49B
MSDS Date:01/01/1987
FSC:9150
NIIN:00-235-5555
MSDS Number: BDLPH

Responsible Party

ROYAL LUBRICANTS CO., INC.
Emergency Phone: (201) 887-7410
Cage: 07950

Contractor

ROYAL LUBRICANTS COMPANY INC.
518
EAST HANOVER, NJ 07936
US
973-887-7411/7410
Cage: 07950

Ingredients

SOLVENT REFINE,HYDROTREATED RESIDUAL OIL (TAKE TLV AS OIL
Fraction By Weight: >76%
ACGIH TLV: 5MG/CUM(OILMIST

SODIUM NITRITE (SARA III)

CAS: 7632-00-0

RTECS: RA1225000

Fraction By Weight:

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

SYNTHETIC AROMATIC AMINE

Fraction By Weight: >0.5%

ACGIH TLV: NOT SPECIFIED

OTHER COMPONENTS (UNIDENTIFIED)

Fraction By Weight:

ACGIH TLV: NOT SPECIFIED

Hazards

Effects of Overexposure:EYES:IRRITATION;SKN:DERMTITIS,OIL ACNE ON PROLONGED CONTACT.INHAL:RESP IRRITATION;INGEST:G.I.DISTURB

First Aid

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

Fire Fighting

Flash Point:410F/210C (COC)
Extinguishing Media:CO*2,DRY CHEMICAL,FOAM.DO NOT USE WATER JET
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN FIRES AND CONFIRMED AREA.
Unusual Fire/Explosion Hazard:NONE NOTED.USE REASNABLE CARE.

Accidental Release

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;WIPE UP OR SCOOP UP EXCESS GREASE;CLEAN AREA WITH APPROPRIATE CLEANER AND RECOVER FOR PROPER DISPOSAL

Handling

Handling and Storage Precautions:STORE IN COOL DRY AND WELL VENTILATED AREA;KEEP AWAY FROM HEAT,OPEN FLAMES.KEEP CONTAINER CLOSED WHEN NOT IN USE.
Other Precautions:AVOID CONTACT WITH SKIN AND EYES.WASH THOROUGHLY AFTER EACH USE.DO NOT USE CONTAMINATED CLOTHES.DO NOT EAT,DRINK OR SMOKE IN WORK AREA.

Exposure Controls

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR ORGANIC VAPORS AND/OR OIL MIST.
Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY/CHEM GOGGLES
Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT.
Supplemental Safety and Health
MSDS DATED NOV,1,1985.

Chemical Properties

HCC:V6
Solubility in Water:NEGLIGIBLE
Appearance and Odor:BLACK BUTTERY CLAY THICKENED GREASE,SLIGHT PETODOR

Stability

Stability Indicator/Materials to Avoid:YES
STRONG,OXIDIZING AGENTS
Stability Condition to Avoid:HEAT, OPEN,FLAME
Hazardous Decomposition Products:BURNING WILL GIVE CO OR OTHER ORGANIC COMPOUNDS.

Disposal

Waste Disposal Methods:DISPOSE OF COLLECTEDMATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.