https://msdsreport.com/msds/BDVRF

# 34087 OLIVE DRAB

**MSDS Number** 

BDVRF

**National Stock Number** 

8010-00-292-3054

**Product Name** 

34087 OLIVE DRAB

Manufacturer AMERON PROTECTIVE COATINGS

# **Product Identification**

Product ID:34087 OLIVE DRAB MSDS Date:01/01/1985 FSC:8010 NIIN:00-292-3054 MSDS Number: BDVRF

### **Responsible Party**

AMERON PROTECTIVE COATINGS

201 N BERRY STREET

BREA , CA 92621

US

Emergency Phone: 714-529-1951

Info Phone: 714-529-1951

Cage: 0Y2E4

# Contractor

AMERON PROTECTIVE COATINGS

1020

BREA, CA 92622-1020

US

714-529-1951

Cage: 0Y2E4

# Ingredients

ETHYL BENZENE \*98-2\* CAS: 100-41-4 RTECS: DA0700000 Fraction By Weight: 9.0% OSHA PEL435 MG/CUM ACGIH TLV: 434 MG/CUM EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

ISOBUTYL ACETATE CAS: 110-19-0 RTECS: AI4025000

# msds report

https://msdsreport.com/msds/BDVRF

•

Fraction By Weight: 22.0% OSHA PEL150 PPM ACGIH TLV: 713 MG/CUM EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

BUTANOL, N-BUTYL ALCOHOL, PROPYL CARBINOL, BUTYL ALCOHOL CAS: 71-36-3 RTECS: EO1400000 Fraction By Weight: 7.0% OSHA PEL100 PPM ACGIH TLV: C 152 MG/CUM EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

BENZIN, NAPHTHA, MINERAL SPIRITS, PETROLEUM NAPHTHA CAS: 8030-30-6 RTECS: DE3030000 Fraction By Weight: 8.0% OSHA PEL100 PPM ACGIH TLV: 300 PPM

ISOBUTANOL, 2-METHYL-1-PROPANOL, ISOBUTYL ALCOHOL

CAS: 78-83-1

RTECS: NP9625000

Fraction By Weight: LT5%

OSHA PEL300 MG/CUM

ACGIH TLV: 152 MG/CUM

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

#### Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Explanation of Carcinogenicity:NONE Effects of Overexposure:ANESTHETIC, IRR. OF RESPIRATORY TRACT OR ACUTE NERVOUS SYS. DEPRESSION, EYE & SKIN IRRITATION

#### First Aid

First Aid:IN CASE OF CONTACT FLUSH SKIN AND EYES WITH WATER AND REMOVE CONTAMINATED CLOTHING. IF INHALED REMOVE TO FRESH AIR. CALL A PHYSICIAN IF CONDITIONS PERSIST.

### **Fire Fighting**

Flash Point Method:TCC Flash Point:30F Lower Limits:0.9 Extinguishing Media:SMALL FIRES-CARBON DIOXIDE OR DRY CHEM. LARGE FIRES-FOAM



Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS FOR FIREMEN Unusual Fire/Explosion Hazard:CLOSED CONTAINERS EXPOSED TO HEAT MAY EXPLODE

•

#### **Accidental Release**

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. AVOID BREATHING VAPORS. REMOVE WITH INERT ABSORBENT AND NON-SPARKING TOOLS

#### Handling

Handling and Storage Precautions: DO NOT STORE ABOVE 120F. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED FOR STORAGE OF NFPA CLASS ONE FLAMMABLES.

Other Precautions: CONTAINERS SHOULD BE GROUNDED WHEN POURING. AVOID FREE FALL OF LIQUID IN EXCESS OF A FEW INCHES.

# **Exposure Controls**

Respiratory Protection:USE NIOSH APPROVED PAINT RESPIRATOR OR AIR SUPPLIED RESPIRATOR Ventilation:PROVIDE GENERAL DILUTION OR LOCAL EXHAUST AS NECESSARY Supplemental Safety and Health NT8050000 ISOPROPYL ALCOHOL LT 5 PER CENT KK8225000 CELLO.ACETATE LT 0.5 PER CENT, RESPIRATOR USE BASED ON CHEM. CONC. AND CONDITIONS OF USE.

#### **Chemical Properties**

HCC:F2 Boiling Pt:B.P. Text:175-329F Vapor Density:>1 Evaporation Rate & Reference:SLOWER THAN ETHER Percent Volatiles by Volume:73.4

#### Stability

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:AVOID FIRE,HEAT AND HOT SURFACES

#### Disposal

Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.