

200P1650

MSDS Number

BDXQJ

National Stock Number

5910-00-400-9619

Product Name

200P1650

Manufacturer

SPRAGUE ELECTRIC CO

Product Identification

Product ID:200P1650 MSDS Date:01/01/1985 FSC:5910 NIIN:00-400-9619 MSDS Number: BDXOJ

Responsible Party

SPRAGUE ELECTRIC CO

61 SPIT BROOK RD SUITE 305

NASHUA, NH 03060

US

Emergency Phone: 207-324-4140

Cage: 56289

Contractor

SPRAGUE ELECTRIC CO WORLD HEADQUARTERS

NASHUA, NH 03060

US

603-883-5544/FAX 603-880-1910

Cage: 56289

Ingredients

POLYCHLORINATED BIPHENYLS (PCBS) (SARA III)

CAS: 1336-36-3 RTECS: TQ1350000

EPA Report Quantity: 1 LB DOT Report Quantity: 1 LB

Hazards

Effects of Overexposure:INHAL:RESP TK IRRIT; SKIN/EYE;IRRIT,INFLAM,CHLORACNE;MAY CAUSE LIVER DAMAGE

First Aid

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF,GIVE OXYGEN; EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

Fire Fighting

Flash Point:NONE

Extinguishing Media: EXTINQUISH W. AGENT SUITABLE FOR SURROUNDING FIRE.



Fire Fighting Procedures: WEAR CHEMICAL PROTECTIVE SUIT WITH SELF CONTD BRTHG APP.

Unusual Fire/Explosion Hazard: MATL IS NON-FLAMMABLE BUT MAY GENERATE TOXIC GASES IN HEAT OF FIRE

Accidental Release

Spill Release Procedures: EVAC NON-ESSENTL PERSONNEL. VENT SPIL AREA. WEAR PROTECT EQUIPT. STOP LEAK. SOAK UP LIQUID W/NON-REACTIVE MATL (SAND, DIRT, ETC) OR RMV BY DIKE & PUMPING OR OTHER SUITABLE MEANS. CLEAN AREA W/SUITABLE SAFETY SOLVENT. LAUNDER CONTAMINATED CLTHG.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED

Other Precautions: CHLORODIPHENYLS MAY ATTACK SOME TYPE OF RUBBER AND PLASTIC. DO NOT USE CONTAMINATED WORK CLOTHING. WASH/SHOWER AFTER EXPOSURE TO PCB'S

Exposure Controls

Respiratory Protection: NIOSH/MESA APPR SCBA/AIR SUPP RESPIR.

Ventilation: LOCAL EXHAUST TO MAINTN BELOW TLV.

Protective Gloves: IMPERVIOUS

Eye Protection: GOGGLES/FACE SHIELD

Other Protective Equipment: WEAR FULL PROTECTIVE CLOTHING.

Supplemental Safety and Health

OVEREXPOS:CAN CAUSE FORMATION OF CYSTS, CAUSES STILLBIRTHS. IRRITATES

EYES, NOSE THROAT.

Chemical Properties

HCC:Z3

Appearance and Odor: PALE YELLOW VISCOUS LIQUID W/HYDROCARBON ODOR

Stability

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:SEE OTHER PRECAUTIONS Hazardous Decomposition Products:HYDROGEN CHLORIDE, CO, & OTHER TOXIC/IRRITATING GASES/FUMES

Disposal

Waste Disposal Methods: CONTROLLED DISPOSAL REQD. GEN. V.HIGH TEMP INCINERATION. IN ACCORDANCE WITH ALL LOCAL, STATE, & FEDERAL REGULATIONS. PERMITTED DISPOSAL OPERATOR REQUIRED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.