

PC12-007M, PART B

MSDS Number

BDYJJ

National Stock Number

5970-00-418-1922

Product Name

PC12-007M, PART B

Manufacturer

HYSOL DIV THE DEXTER CORP

Product Identification

Product ID:PC12-007M, PART B

MSDS Date:11/11/1986

FSC:5970

NIIN:00-418-1922

Kit Part:Y

MSDS Number: BDYJJ

Responsible Party

HYSOL DIVISION, THE DEXTER CORPORATION

211 FRANKLIN STREET

OLEAN , NY 14760

Emergency Phone: 716-372-6309

Info Phone: 716-372-6300

Preparer: JAMES P HORNBURG

Cage: 14347

Contractor

HYSOL DIVISION, THE DEXTER CORPORATION

312

OLEAN, NY 14760-1297

US

716-372-6300/6309

Cage: 14347

Ingredients

REACTIVE POLYAMIDE

CAS: 37189-83-6

Fraction By Weight: 60-100%

OSHA PELNO DATA

ACGIH TLV: NO DATA

TRIETHYLENE TETRAMINE

CAS: 112-24-3

RTECS: YE6650000

Fraction By Weight: 5-10%

REACTIVE POLYAMIDE

CAS: 37189-83-6

Fraction By Weight: 30-60%

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SEE SIGNS AND SYMPTOMS OF
OVEREXPOSURE.
Effects of Overexposure:EYES: BURNS. SKIN: BURNS, DERMATITIS.
INHALATION: VAPORS MAY BE SLIGHTLY IRRITATING. INGESTION:
IRRITATION, BURNS.
Medical Cond Aggravated by Exposure:NONE NOTED.

First Aid

First Aid:EYES/SKIN: FLUSH WITH CLEAN WATER. GET MEDICAL CARE FOR EYES.
REMOVE CONTAMINATED CLOTHING. INHALATION: REMOVE TO FRESH AIR. THIS
MATERIAL IS A SENSITIZER. IF ALLERGIC REACTION OCCURS, SEE A
DOCTOR.

Fire Fighting

Flash Point Method:COC
Flash Point:338F(170C)
Lower Limits:0.6
Upper Limits:2.5
Extinguishing Media:CO*2, DRY CHEMICAL, FOAM
Fire Fighting Procedures:NONE. AVOID BREATHING VAPORS.
Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:SCOOP UP EXCESS. SCRUB AREA WITH 5% ACETIC
ACID SOLUTION TO EMULSIFY. RINSE WITH HOT WATER.

Handling

Handling and Storage Precautions:KEEP CONTAINERS TIGHTLY CLOSED.
Other Precautions:NONE

Exposure Controls

Respiratory Protection:NONE
Ventilation:LOCAL EXHAUST PREFERRABLE. MECHANICAL (GENERAL),
ACCEPTABLE.
Protective Gloves:PLASTIC OR RUBBER.
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:COVERALLS OR APRON.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health
WASTE MATERIAL IS NOT A HAZARDOUS WASTE UNDER RCRA. THIS IS PART B OF A
2 PART PRODUCT. FOR PART A, SEE PNI A, SAME NSN. KEY 1: N1

Chemical Properties

HCC:V4
Boiling Pt:B.P. Text:634F(334C)
Vapor Pres:Vapor Density:9.6
Spec Gravity:0.9
Evaporation Rate & Reference:NIL
Solubility in Water:NIL
Appearance and Odor:TRANSLUCENT, AMBER, HIGH VISCOSITY LIQUID, AMMONIA
LIKE ODOR.
Percent Volatiles by Volume:NIL

Stability

Stability Indicator/Materials to Avoid:YES
STRONG ALKALIES, ACIDS.
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:CO, CO*2.

Disposal

Waste Disposal Methods:INCINERATE IN FURNANCE OF BURY IN APPROVED LANDFILL. NY STATE DOES NOT PERMIT LANDFILL BURIAL OF LIQUIDS. SOLIDIFY BY MIXING WITH EPOXY RESIN BEFORE BURIAL. COMPLY WITH ALL APPLICABLE FEDERAL, STATE A ND LOCAL REAGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.