

BOSTIK

MSDS Number

BFBBJ

National Stock Number

8010-00-482-5672

Product Name

BOSTIK

Manufacturer

BOSTIK FINCH INC

Product Identification

Product ID: BOSTIK

MSDS Date: 01/01/1985

FSC: 8010

NIIN: 00-482-5672

Kit Part: Y

MSDS Number: BFBBJ

Responsible Party

BOSTIK-FINCH, INC.

434 W. MEAT ST.

ORANGE , CA 92661

US

Cage: KO195

Contractor

BOSTIK-FINCH, INC.

ORANGE, CA 92661

US

714-637-1750; CHEMTREC 800-424-9300

Cage: KO195

Ingredients

SOLVENTS

Fraction By Weight: 45.0%

ACGIH TLV: 100-400 PPM

POLYESTER RESIN

Fraction By Weight: 19.1%

ISOCYANATE PREPOLYMER (ALIPHATIC)

Fraction By Weight: 16.5%

PIGMENTS

Fraction By Weight: 19.2%

ADDITIVES

Fraction By Weight: 0.2%

Hazards

Effects of Overexposure:INHALE-IRRITATE NOSE & THROAT. MAY CAUSE NAUSEA OR VOMITING. MAY CAUSE EYE & SEEKING IRRITATION.

First Aid

First Aid:SKIN-WASH WITH SOAP & WATER. EYE FLUSH WITH WATER. EYE FLUSH WITH WATER; CONSULT DOCTOR. INHALE-REMOVE TO FRESH AIR;CONSULT DOCTOR. INGESTION. INDUCE VOMITING; CONSULT DOCTOR.

Fire Fighting

Flash Point:23F, -5C TCC

Lower Limits:1.1

Extinguishing Media:CO2 OR DRY CHEM FOR SMALL;ALCOHOL FOAM FOR LARGE FIRES.

Fire Fighting Procedures:WTER MAY BE INEFFECTIVE.USE AIR SUPPLIED RESCUE EQUIPMENT.

Unusual Fire/Explosion Hazard:DO NOT APPLY TO HEATED SURFACES OR IN AREAS WHERE ELECTRICAL SPARKS MAY BE PRESENT.

Accidental Release

Spill Release Procedures:ABSORB WITH WAWDUST OR OIL ABSORBING COMPOUND. WASH AREA WITH DETERGENT AND WATER. USE ADEQUATE VENTILATION TO CLEAR FUMES FROM AREA. AVOID SPARKS.

Handling

Handling and Storage Precautions:STORE UNDER 100F. KEEP AWAY FROM HEAT, SPARKS & OPEN FLAME. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions:DO NOT STORE OR MIX WITH STRONG OXIDANTS.

Exposure Controls

Respiratory Protection:AIR SUPPLIED RESPIRATOR OR SUITABLE CHEMICAL CARTRIDGE.

Ventilation:TO MEET TLV

Protective Gloves:SOLVEN RESISTANT

Eye Protection:GOGGLES OR FACE SHIELD

Other Protective Equipment:COVERALLS, APRON, NON-SPARKING SAFETY SHOES, ETC.

Supplemental Safety and Health

Chemical Properties

HCC:F2

Boiling Pt:B.P. Text:175-320F

Vapor Density:>AIR

Evaporation Rate & Reference:,ETHER

Percent Volatiles by Volume:57.4

Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDANTS

Hazardous Decomposition Products:CO & COMBUSTION PRODUCTS

Disposal

Waste Disposal Methods:INCINERATE WITH CARE SANITARY LAND FILL PREFERABLE

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

