
140 3351,COLOR DEVL REPL,PROC E-4,PART C

MSDS Number

BFBLQ

National Stock Number

6750-00-496-9882

Product Name

140 3351,COLOR DEVL REPL,PROC E-4,PART C

Manufacturer

EASTMAN KODAK COMPANY

Product Identification

Product ID:140 3351,COLOR DEVL REPL,PROC E-4,PART C

MSDS Date:04/26/1984

FSC:6750

NIIN:00-496-9882

Kit Part:Y

MSDS Number: BFBLQ

Responsible Party

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER , NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 716-722-5151

Cage: 19139

Contractor

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

Ingredients

SODIUM PHOSPHATE, TRIBASIC (SARA III)

CAS: 7601-54-9

RTECS: TC9490000

Fraction By Weight: 75-80%

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

SODIUM SULFITE

CAS: 7757-83-7

RTECS: WE2150000

Fraction By Weight: 15-20%

TETRASODIUM ETHYLENEDIAMINETETRAACETIC ACID,DIHYDRATE

CAS: 64-02-8

RTECS: AH5075000

Fraction By Weight: 5-10%

Hazards

LD50 LC50 Mixture:ACUTE ORAL LD50=25MG/KG (RAT,MOUSE)

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE EYES/SKIN IRRITATION.

Effects of Overexposure:INHALATION:DUST MAY CAUSE UPPER RESPIRATORY TRACT IRRITATION; EYES:DUST CAUSES IRRITATION AND CORNEAL INJURY;

SKIN:PROLONGED AND REPEATED CONTACT MAY CAUSE IRRITATION

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INHALE:REMOVE TO FRESH AIR,GIVE CPR/O*2 IF NEED;EYES:FLUSH W LG AMTS H*2O FOR 15 MIN;SKIN:FLUSH W LG AMTS H*2O;INGEST:RINSE MOUTH; GET IMMEDIATE MEDICAL ATTENTION FOR EYES OR INGEST.

Fire Fighting

Flash Point:NONE

Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS.

Accidental Release

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS.PROVIDE VENTILATION/ELIM DUST.SWEEP/SHOVEL MATERIAL INTO COVERED CONTAINERS PENDING DISPOSAL.RESIDUE MAY BE FLUSHED WITH WATER,PER MFG.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED,LOW FIRE RISK AREA.PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT.KEEP CONTAINERS TIGHTLY CLOSED.

Other Precautions:AVOID PROLONGED OR REPEATED CONTACT W CHEMICAL.REMOVE & WASH CONTAMINATED CLOTHING.MAINTAIN STRICT HYGIENE.

Exposure Controls

Respiratory Protection:AN APPROPRIATE NIOSH-APPROVED RESPIRATOR FOR DUST SHOULD BE WORN IF NEEDED.

Ventilation:NO SPECIAL REQUIREMENTS

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES/GOGGLES

Other Protective Equipment:PROTECTIVE GLOVES,BOOTS,AND CLOTHING SHOULD BE WORN.

Supplemental Safety and Health

THIS DATA REPRESENTS PART C OF A 4 PARTS PRODUCT.ALL PARTS ARE NEEDED TO MAKE WORKING SOLUTION; KODAK'S MIXTURE NO:2307;EFFECTIVE 87213,NSN HAS BEEN CANCELLED W

Chemical Properties

HCC:C3

Spec Gravity:>1

Solubility in Water:APPRECIABLE

Appearance and Odor:WHITE SOLID;ODORLESS

Stability

Stability Indicator/Materials to Avoid:YES

STRONG MINERAL ACIDS

Stability Condition to Avoid:DUST GENERATING CONDITIONS.

Hazardous Decomposition Products: COMBUSTION WILL PRODUCE CARBON DIOXIDE, CARBON MONOXIDE. MAY PRODUCE OXIDES OF NITROGEN, SULFUR, AND PHOSPHORUS.

Disposal

Waste Disposal Methods: KEEP IN COVERED CONTAINERS PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS. MFG NOTES MATERIAL MAY BE FLUSHED TO SEWER WITH EXCESS OF WATER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.