

92-2185 TONER CONCENTRATE;(KIT CAT #92-2085

MSDS Number

BFBMP

National Stock Number

6850-00-498-2345

Product Name

92-2185 TONER CONCENTRATE;(KIT CAT #92-2085

Manufacturer

A B DICK CO DIST BY MAUCK AND CO

Product Identification

Product ID:92-2185 TONER CONCENTRATE;(KIT CAT #92-2085

MSDS Date:01/01/1985

FSC:6850

NIIN:00-498-2345

Kit Part:Y

MSDS Number: BFBMP

Responsible Party

A B DICK CO, DIST BY MAUCK & CO

5700 WEST TOUHY AVENUE

CHICAGO , IL 60648-4606

US

Emergency Phone: 312-647-8800

Info Phone: 312-547-8800

Cage: HO951

Contractor

DICK A B CO

CHICAGO, IL 60648

US

312-647-8800

Cage: HO951

Ingredients

ISOPAR G,ISOPARAFFINIC LIQUID

Fraction By Weight: 50%

ACGIH TLV: 500 PPM

ROSIN ESTER

Fraction By Weight:

POLYACRYLATE RESIN

Fraction By Weight:

MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')

CAS: 8012-95-1

RTECS: PY8030000

Fraction By Weight:

OSHA PEL5 MG/M3

ACGIH TLV: 5 MG/M3/10 STEL;9192

CARBON BLACK

CAS: 1333-86-4

RTECS: FF5800000

Fraction By Weight:

OSHA PEL3.5 MG/M3

ACGIH TLV: 3.5 MG/M3; 9192

Hazards

Effects of Overexposure:EYES/SKIN: IRRIT, DEFAT. ORAL: SLIGHTLY TOXIC.
INH: DROWSINESS.

First Aid

First Aid:SKIN:WASH W.SOAP & H*2O. EYES:FLUSH W. H*2O. INGESTED:DON'T
INDUCE VOMITING. INHALED:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF
NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. NEVER GIVE
ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

Fire Fighting

Flash Point:122F/50C TCC

Lower Limits:UNK

Upper Limits:UNK

Extinguishing Media:FOAM, CARBON DIOXIDE

Fire Fighting Procedures:WEAR CHEM PROT. SUIT WITH SCBA. COOL CONTRS
WITH H*2O.

Unusual Fire/Explosion Hazard:FLASHBACK ALONG VAPOR TRAIL MAY OCCUR;
VAP MAY EXPL. IF IGNITED IN AN ENCLOSED AREA.

Accidental Release

Spill Release Procedures:WIPE UP W/DRY CLOTH OR USE ABSORBENT MATLS

Handling

Handling and Storage Precautions:STORE IN COOL,DRY AREA,AWAY FROM
HEAT,FIRE,IGNITION SOURCES.PROCEDURES FOR HANDLING/STORAGE SAME AS
FOR HYDROCARBONS OR LIGHT OILS WITH FP-122F TCC.

Exposure Controls

Respiratory Protection:NONE SPECIFIED BY MFR

Ventilation:NONE SPECIFIED BY MFR, GEN VENT SHOULD BE OK

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR
PROLONGED CONTACT.

Supplemental Safety and Health

NIOSH 6:1001345DT,DYE AND TONER,ENTRY FOR TONER;SEE P/N IND C FOR NEW FORMULATION OF TONER AND P/N
IND B FOR DISPERSANT UNDER THIS NSN.KEY1:F4

Chemical Properties

HCC:F4

Boiling Pt:B.P. Text:>350/177C

Vapor Pres:UNK

Vapor Density:>1.0

Spec Gravity:0.871

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK LIQ, KEROSENE ODOR

Percent Volatiles by Volume:50

Stability

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MFR

Stability Condition to Avoid: SPARKS, OPEN FLAME

Hazardous Decomposition Products: NONE SPECIFIED BY MFR

Disposal

Waste Disposal Methods: PLACE IN CONTAINER SUITABLE FOR SHIPMENT DISPOSAL AREA. SHOULD BE DISPOSED WITH OTHER NON-AQUEOUS MATERIALS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.