

XD-60 DEVELOPER

MSDS Number

BFBXG

National Stock Number

6850-00-507-6750

Product Name

XD-60 DEVELOPER

Manufacturer

NASHUA CORP OFFICE PRODUCTS DIV

Product Identification

Product ID:XD-60 DEVELOPER

MSDS Date:01/26/1987

FSC:6850

NIIN:00-507-6750

MSDS Number: BFBXG

Responsible Party

NASHUA CORPORATION /OFFICE PRODUCTS DIVISION

44 FRANKLIN ST.

NASHUA , NH 03061

US

Emergency Phone: 603-880-5555

Info Phone: 800-258-1370

Preparer: R.L. SEVIGNY

Cage: 0EK44

Contractor

NASHUA CORPORATION

NASHUA, NH 03061

US

603-880-5555

Cage: 0EK44

Ingredients

STEEL SHOT (CARRIER)

Fraction By Weight: >95%

VINYL CHLORIDE-MALEATE ESTER COPOLYMER (CARRIER)

Fraction By Weight:

STYRENE ACRYLIC COPOLYMER (TONER)

Fraction By Weight:

POLYVINYL BUTYRAL RESIN (TONER)

Fraction By Weight: 80-90%

CARBON BLACK

CAS: 1333-86-4

RTECS: FF5800000

Fraction By Weight: 10-15%

OSHA PEL3.5 MG/M3

ACGIH TLV: 3.5 MG/M3; 9192

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NO KNOWN HEALTH HAZARD WHEN USED AS
INTENDED IN A COPY MACHINE.
Effects of Overexposure:IRRITATION OF EYES AND RESPIRATORY TRACT MAY
OCCUR IN HEAVY DUST CONDITIONS.
Medical Cond Aggravated by Exposure:NONE KNOWN

First Aid

First Aid:REMOVE FROM EXPOSURE; WASH SKIN WITH SOAP & WATER. FLUSH EYES
WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. DRINK LARGE
AMOUNTS OF WATER IF INGESTED.

Fire Fighting

Flash Point:NONE
Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL, CARBON DIOXIDE
Fire Fighting Procedures:AVOID INHALATION OF SMOKE. WEAR MSHA/NIOSH
SCBA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:MATERIAL CAN FORM EXPLOSIVE MIXTURES WHEN
SUSPENDED IN AIR. ALL IGNITION SOURCES SHOULD BE AVOIDED.

Accidental Release

Spill Release Procedures:VACUUM OR SWEEP UP AS WITH ANY NON-TOXIC
POWDER.
Neutralizing Agent:NONE

Handling

Handling and Storage Precautions:DO NOT STORE NEXT TO STRONG OXIDIZERS.
EYE PROTECTION AND RESPIRATORS MAY BE REQUIRED FOR BULK HANDLING.
Other Precautions:AVOID EXCESSIVE EXPOSURE TO HEAT.

Exposure Controls

Respiratory Protection:NONE REQUIRED WHEN PRODUCT IS USED AS INTENDED.
Ventilation:NORMAL OFFICE VENTILATION IS ADEQUATE.
Protective Gloves:NONE REQUIRED WHEN USED AS INTENDED.
Eye Protection:NONE REQUIRED WHEN USED AS INTENDED.
Other Protective Equipment:NONE REQUIRED WHEN USED AS INTENDED.
Work Hygienic Practices:AVOID BREATHING DUST IF SAMPLE IS SPILLED.
Supplemental Safety and Health
NONE

Chemical Properties

HCC:N1
Solubility in Water:NEGLIGIBLE
Appearance and Odor:BLACK POWDER, ALMOST ODORLESS
Percent Volatiles by Volume:0

Stability

Stability Indicator/Materials to Avoid:YES
NONE WITH COMMON MATERIALS WITH WHICH THE PRODUCT MAY REASONABLY COME
INTO CONTACT.
Stability Condition to Avoid:AVOID OPEN FLAME
Hazardous Decomposition Products:TOXIC DECOMPOSITION PRODUCTS FORMED ON
COMBUSTION

Disposal

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH APPLICABLE FEDERAL,
STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.