

## **PM 1066**

### **MSDS Number**

BFCGB

### **National Stock Number**

5610-00-516-0022

### **Product Name**

PM 1066

### **Manufacturer**

PALMER PRODUCTS INC

### **Product Identification**

Product ID:PM 1066

MSDS Date:01/01/1985

FSC:5610

NIIN:00-516-0022

Kit Part:Y

MSDS Number: BFCGB

### **Responsible Party**

PALMER PRODUCTS, INC

SKIPCK PIKE AND VALLEY FORGE RD

WORCESTER , PA 19490

US

Emergency Phone: NONE

Cage: D0933

### **Contractor**

PALMER PRODUCTS, INC.

8

WORCESTER, PA 19490

US

610-584-4241

Cage: D0933

### **Ingredients**

FILLERS

Fraction By Weight: 60%

ACGIH TLV: UNK

VEHICLE

Fraction By Weight: 15%

ACGIH TLV: UNK

SOLVENT

Fraction By Weight: 10%

ACGIH TLV: 100 PPM

## PIGMENTS

Fraction By Weight: 5%

ACGIH TLV: UNK

## Hazards

Effects of Overexposure:INH OF HIGH VAPOR CONC MAY CAUSE NAUSEA. SKIN CONTACT MAY CAUSE IRRITATION.

## First Aid

First Aid:IF OVERCOME BY VAPOR, REMOVE FROM AREA & CALL PHYSICIAN. WASH CONTAMINATED AREA WITH SOAP & WATER. IN CASE OF EYES, FLUSH WITH PLENTY OF WATER & CONSULT PHYSICIAN.

## Fire Fighting

Flash Point:80F (PMCC)

Lower Limits:1

Upper Limits:7

Extinguishing Media:CARBON DIOXIDE OR DRY CHEMICAL. POLYMER FOAM FOR LARGE FIRES

Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS

## Accidental Release

Spill Release Procedures:SOAK UP WITH ABSORBENT MATERIAL & FLUSH AREA WITH WATER.

## Handling

Handling and Storage Precautions:KEEP AWAY FROM HEAT & OPEN FLAME. AVOID CONTACT WITH EYES & SKIN. KEEP CONTAINERS CLOSED.

## Exposure Controls

Respiratory Protection:HYDROCARBON VAPOR CANISTER

Ventilation:LOCAL EXHAUST PREFERABLE

Protective Gloves:RUBBER

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:SAFETY SHOWER & EYEBATH

Supplemental Safety and Health

THIS IS PART 1 OF A 2-PART KIT.

## Chemical Properties

HCC:F2

Boiling Pt: =107.8C, 226.F

Vapor Pres:8.9

Vapor Density:3.4

Spec Gravity:1.9

Solubility in Water:NEGLIGIBLE

Appearance and Odor:OPAQUE LIQUID WITH AROMATIC ODOR.

Percent Volatiles by Volume:15

## Stability

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS, BASES, & AMINES

Stability Condition to Avoid:HEAT & OPEN FLAME

## Disposal

Waste Disposal Methods:INCINERATE IN FURNACE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

