
PR-1139-HP,PART B,WHITE,27886

MSDS Number

BFCGZ

National Stock Number

5610-00-516-0056

Product Name

PR-1139-HP,PART B,WHITE,27886

Manufacturer

PRODUCTS RESEARCH AND CHEMICAL CORP

Product Identification

Product ID:PR-1139-HP,PART B,WHITE,27886

MSDS Date:01/01/1987

FSC:5610

NIIN:00-516-0056

Kit Part:Y

MSDS Number: BFCGZ

Responsible Party

PRODUCTS RESEARCH & CHEMICAL CORP

5430 SAN FERNANDO ROAD

GLENDALE , CA 91209

US

Emergency Phone: 818-240-2060

Info Phone: 818-240-2060

Cage: DO563

Contractor

PRODUCTS RESEARCH & CHEMICAL

1800

GLENDALE, CA 91209

US

818-240-2060

Cage: DO563

Ingredients

METHYL N-AMYL KETONE

CAS: 110-43-0

RTECS: MJ5075000

OSHA PEL100 PPM

ACGIH TLV: 50 PPM; 9192

CYCLOHEXANONE (SARA III)

CAS: 108-94-1

RTECS: GW1050000

OSHA PELS, 50 PPM

ACGIH TLV: S, 25 PPM; 9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS: 1317-65-3

RTECS: EV9580000

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9192

SILICON DIOXIDE CAS# 7631-86-9

RTECS: VV7320000

ACGIH TLV: 20 MPPCF

ALPHA-ALUMINA (ALUMINUM OXIDE) (EPA LISTS ONLY FIBROUS

CAS: 1344-28-1

RTECS: BD1200000

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9293

Hazards

Effects of Overexposure:EYE,SKIN:IRRIT.INHAL:IRRIT.NARCOSIS FROM HIGH CONCENTRATIONS.INGEST:N/K PER MFR.

First Aid

First Aid:EYE:FLUSH W/ LUKE WARM WATER FOR 15 MIN.CALL MD IF SYMPTOMS PERSIST.SKIN:WASH W/ SOAP & WATER.CALL MD IF SYMPTOMS PERSIST.INHAL:REMOVE TO FRESH AIR.IF SYMPTOMS PERSIST.INHAL:REMOVE TO FRESH AIR.IF SYM PTOMS ARE PRESENT,CALL MD.

Fire Fighting

Flash Point:108F,42C PMCC

Extinguishing Media:CO*2,DRY CHEMICAL,FOAM.

Fire Fighting Procedures:USE AIR SUPPLIED RESPIR.USE WATER TO COOL CLOSED CONTAINERS.

Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE BUILD-UP IN CLOSED CONTAINERS.

Accidental Release

Spill Release Procedures:WEAR AIR-SUPPLIED RESPIR FOR MAJOR UNVENTILATED SPILL.COVER W/ ABSORBENT.SCOOP INTO CONTAINERS.CLEAN UP RESIDUE W/ 1,1,1-TRICHLOROETHANE.

Handling

Handling and Storage Precautions:NONE PER MFR.

Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPRVD ORG VAP CARTRIDGE OR AIR-SUPPLIED RESPIR.

Ventilation:GENERAL VENT TO MAINTAIN VAPORS BELOW TLV.

Protective Gloves:SOLV RESISTANT

Eye Protection:CHEM GOG,FULL-FACE SHIELD

Supplemental Safety and Health

MSDS PREP:85323.PART B OF A 2-PART KIT.SPEC TYPE 2.CALL MFR;APPEARANCE,U/I QTY.CACO*3,SIO*2,AL*2O*3 APPEAR ON AN AIRBORNE CONTAMINATES LIST.THESE INGRED ARE ENCAPSULATED AND NON-HAZ TO USERS.KEY1:J1.

Chemical Properties

HCC:F4
Boiling Pt:B.P. Text:N/K PER MFR
Spec Gravity:1.7
Evaporation Rate & Reference:N/K PER MFR
Solubility in Water:NEGLIGIBLE
Appearance and Odor:CLEAR,AMBER LIQUID,POLYMER ODOR
Percent Volatiles by Volume:23.0

Stability

Stability Indicator/Materials to Avoid:YES
N/K PER MFR
Hazardous Decomposition Products:OXIDES OF CARBON

Disposal

Waste Disposal Methods:EPA WASTE D001.DISPOSE OF SPILLAGE IN COMPLIANCE
W/ LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.