

---

## **792634 LAC ACRYLIC N/C CAM GRAY 36440**

### **MSDS Number**

BFCPG

### **National Stock Number**

8010-00-526-3296

### **Product Name**

792634 LAC ACRYLIC N/C CAM GRAY 36440

### **Manufacturer**

PRATT AND LAMBERT INC

### **Product Identification**

Product ID:792634 LAC ACRYLIC N/C CAM GRAY 36440

MSDS Date:01/01/1985

FSC:8010

NIIN:00-526-3296

MSDS Number: BFCPG

### **Responsible Party**

PRATT AND LAMBERT INC

16116 E 13TH ST

WICHITA , KS 67201

US

Cage: 61196

### **Contractor**

PRATT AND LAMBERT INC

6027

CLEVELAND, OH 44101-1027

US

216-566-2902

Cage: 61196

### **Ingredients**

ISOBUTYL ALCOHOL (SARA III)

CAS: 78-83-1

RTECS: NP9625000

Fraction By Weight:

OSHA PEL100 PPM

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

ISOBUTYL ACETATE

RTECS: NP9100000

Fraction By Weight: 45%

ACGIH TLV: 150 PPM

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 8%

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

METHYL ISOBUTYL KETONE (HEXONE) (SARA III)

CAS: 108-10-1

RTECS: SA9275000

Fraction By Weight:

OSHA PEL100 PPM

ACGIH TLV: 50 PPM/75 STEL; 9394

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight:

OSHA PEL100 PPM/150 STEL

ACGIH TLV: 100 PPM/150 STEL; 9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

## Hazards

Effects of Overexposure: INHAL: ANEST: IRRIT OF NOSE, THROAT, EYES & POSS DIZZ & NAUSEA.

## First Aid

First Aid: INHAL: REMOV FR EXPOS & PROVD FRESH AIR. SPLASH EYES, FLUSH IMMED. W/LG AMTS OF WATR F/15 MIN. SPLASH SKIN: REMOV CONTAM CLOTH & WASH AFFECT AREA W/WATR. INGEST: DO NOT INDUC VOMITING. CONSULT A PHYSICIAN IMM ED IN ALL CASES.

## Fire Fighting

Flash Point: 21 F TCC -6 C

Extinguishing Media: CO<sub>2</sub>, DRY CHEM, OR ALCOH FOAM. POLYMER FOAM IS PREF F/LG FIRES

Fire Fighting Procedures: SELF-CONTAIN BREATHING APPARATUS SHLD BE AVAIL F/FIREMEN.

Unusual Fire/Explosion Hazard: KP CONTNRS TIGHTLY CLOS & ISOLAT FR HEAT, ELECTR EQPMT, SPARKS & OPN FLAM. DO NOT APLY TO VERY HOT SURF

## Accidental Release

Spill Release Procedures: REMOV ALL SOURCES OF IGNIT (FLAMES, HOT SURFACES, & ELECTR, STATIC OR FRICTIONAL SPARKS. VENTILAT AREA & AVOID BREATHING VAPORS. REMOV W/INERT ABSORBENT & USE NON-SPARKING TOOLS. STEPS MUST BE TAKEN TO AVOID CONTAM OF GROUND WATER OR

STREAMS.

## Handling

Handling and Storage Precautions:DO NOT STORE ABOVE 120 F.STORE LG QUANTITIES IN COMPLIANCE W/OSHA 1910.106.CONTNRS SHLD BE BONDED TO EA OTHR & GROUNDED PROPLY TRANSF/POUR IN ANOTHER  
Other Precautions:DO NOT CUT OR WELD ON EMPTY CONTNRS DO NOT USE UNTIL ALL SAFETY PRECAUTIONS & MIXING DIRECTIONS HAVE BEEN READ & FULLY UNDERSTOOD BY THE USER.

## Exposure Controls

Respiratory Protection:MECH RESPIRAT TO REMOV OVERSPRAY IN OUTDOOR OR OPEN AREA.  
Ventilation:PROVID GEN DILUT/LOC EXHAUS VENTIL IN VOL TO KP BELOW TLV.  
Protective Gloves:SOLVNT IMPERMBL  
Eye Protection:SAFETY EYEWEAR AGNST SPLA  
Other Protective Equipment:USE PROTECTIV EQPMT TO PREVENT SKIN CONTACT  
Supplemental Safety and Health

## Chemical Properties

HCC:F2  
Boiling Pt:B.P. Text:174-724 F  
Vapor Density:HEAV  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Percent Volatiles by Volume:73

## Stability

Stability Indicator/Materials to Avoid:YES  
AVOID CONTACT W/STRONG ACIDS OR ALKALIS.  
Stability Condition to Avoid:FIRES,HEAT,SPARKS, & HOT SURFACES  
Hazardous Decomposition Products:SMOKE & OXIDES OF NITROGEN  
Conditions to Avoid Polymerization:DO NOT AD DRIERS OR REACTIVE CHEM W/O TECH SUPERVISION.

## Disposal

Waste Disposal Methods:DISPOSE IN ACCORDANCE W/LOC,STATE, & FEDERAL REGULATIONS.INCINERATE IN EPA APPRVD FACILITY.DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.