

791716 LAC ACRYLIC N/C GLOSS WHITE 17875

MSDS Number

BFCSQ

National Stock Number

8010-00-527-2493

Product Name

791716 LAC ACRYLIC N/C GLOSS WHITE 17875

Manufacturer

PRATT AND LAMBERT

Product Identification

Product ID: 791716 LAC ACRYLIC N/C GLOSS WHITE 17875

MSDS Date: 01/01/1985

FSC: 8010

NIIN: 00-527-2493

MSDS Number: BFCSQ

Responsible Party

PRATT & LAMBERT

16116 E 13TH ST

WICHITA, KS 67201

US

Cage: PRATT

Contractor

PRATT AND LAMBERT INC

2153

CLEVELAND, OH 44101-1027

US

216-566-2902

Cage: 61196

Ingredients

ISOBUTYL ALCOHOL (SARA III)

CAS: 78-83-1

RTECS: NP9625000

Fraction By Weight:

OSHA PEL100 PPM

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

ISOBUTYL ACETATE

RTECS: NP9100000

Fraction By Weight: 35%

ACGIH TLV: 150 PPM

CYCLOHEXANE (SARA III)

CAS: 110-82-7

RTECS: GU6300000

Fraction By Weight: 8%

OSHA PEL300 PPM

ACGIH TLV: 300 PPM, 9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS: 8030-30-6

RTECS: SE7555000

Fraction By Weight: 8%

OSHA PEL100 PPM

METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS: 78-93-3

RTECS: EL6475000

Fraction By Weight:

OSHA PEL200 PPM

ACGIH TLV: 200 PPM/300STEL;9394

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

Hazards

Effects of Overexposure:INHAL:ANEST.IRRITATION OF NOSE,THROAT,EYES & POSSIBLE DIZZINESS & NAUSEA.

First Aid

First Aid:INHAL:REMOV FR EXPOS & PROVID FRESH AIR.SPLASH EYES:FLUSH IMMED W/LG AMTS OF WATR F/15 MIN.SPLASH SKIN:REMOV CONTAMINATED CLOTHING & WASH AFFECT AREA W/WATR.INGEST:DO NOT INDUCE VOMITING.CONSULT DR IM MED.IN ALL CASES.

Fire Fighting

Flash Point:21F TCC-6C TCC

Lower Limits:.90

Extinguishing Media:CO*2,DRY CHEM,OR ALCOHOL FOAM,POLYMR FOAM PREF F/LG FIRES.

Fire Fighting Procedures:SELF-CONTND BREATH APPARAT SHLD BE AVAIL F/FIREMEN.

Unusual Fire/Explosion Hazard:KP CONTNR TIGHT CLOS.ISOLAT FR HEAT,ELECTR EQPMT,SPARK & OPEN FLAM CLOS CONTNRS MAY EXPLO WHEN EXLSU

Accidental Release

Spill Release Procedures:REMOV ALL SOURCES OF IGNITION(FLAMES,HOT SURFACES,& ELECTR,STATIC OR FRICTIONAL SPARKS).VENTILATE AREA& AVOID BREATHING VAPS.REMOV W/INERT ABSORBENT & USE NON-SPARKING TOOLS STEPS MUST BE TAKEN TO AVO ID CONTAMINATION OF GROUND WATER OR STREAMS.

Handling

Handling and Storage Precautions:DO NOT STORE ABOVE 120°F.STORE LG QTY IN COMPLIANCE W/OSHA 1910.106.CONTNRS SHLD BE BONDED TO EA OTH & GROUNDE PROPERLY WHEN POUR INTO ANOTH CONTNR.
Other Precautions:DO NOT CUT OR WELD ON EMPTY CONTNRS DO NOT USE UNTIL ALL SAFETY PRECAUTIONS & MIXING DIRECTIONS HAVE BEEN READ & FULLY UNDERSTOOD BY THE USER.

Exposure Controls

Respiratory Protection:MECH RESPIRATOR TO REMOVE OVERSPRAY IN OUTDOOR OR OPEN AREA.

Ventilation:PROVIDE GEN DILUT/LOC EXHAUST VENTILATION IN VOL TO KP BELOW TLV

Protective Gloves:SOLVENT IMPERMEABLE

Eye Protection:SAFETY EYEWEAR.

Other Protective Equipment:USE PROTECTIVE EQUIPMENT TO PREVENT SKIN CONTACT.

Supplemental Safety and Health

UNUS.FIRE/EXPLOS.HAZ:POSED TO EXTREME HEAT. DO NOT APPLY TO VERY HOT SURFACES.

Chemical Properties

HCC:F2

Boiling Pt:B.P. Text:174-724°F

Vapor Density:HEAVY

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:72

Stability

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT W/STRONG ACIDS OR ALKALIS.

Stability Condition to Avoid:FIRES,HEAT,SPARKS & HOT SURFACES.

Hazardous Decomposition Products:SMOKE & OXIDES OF NITROGEN & CARBON WHEN BURNED

Conditions to Avoid Polymerization:DO NOT ADD DRIERS OR REACTIVE CHEMS W/O TECHNICAL SUPERVISION

Disposal

Waste Disposal Methods:DISPOSE IN ACCORDANCE W/LOC,STATE & FEDERAL REGULATIONS.INCINERATE IN EPA FACILITY.DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.