https://msdsreport.com/msds/BFDBK

TURCO 2822 THICK

MSDS Number

BFDBK

National Stock Number

6850-00-530-5241

Product Name

TURCO 2822 THICK

Manufacturer

TURCO PRODUCTS INC

Product Identification

Product ID:TURCO 2822 THICK MSDS Date:01/01/1985 FSC:6850 NIIN:00-530-5241 MSDS Number: BFDBK

Responsible Party

TURCO PRODUCTS, INC.

24700 SOUTH MAIN STREET

CARSON , CA 90749

US

Emergency Phone: 614-387-6200 Info Phone: 714-890-3600

Cage: D9808

Contractor

TURCO PRODUCTS, INC.

6200

PHILADELPHIA, PA 19103

US

215-419-7890

Cage: D9808

Ingredients

METHYLENE CHLORIDE (SARA III) CAS: 75-09-2 RTECS: PA8050000 Fraction By Weight: 81.4% OSHA PEL500 PPM/C,1000; Z2 ACGIH TLV: 50 PPM, A2; 9192 EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

ACETIC ACID (SARA III) CAS: 64-19-7 RTECS: AF1225000

msds report

https://msdsreport.com/msds/BFDBK

•

Fraction By Weight: 11.4% OSHA PEL10 PPM ACGIH TLV: 10 PPM/15 STEL; 9192 EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

ALKYLARYL SULFONATE,SODIUM SALT Fraction By Weight: 3.47%

HYDROXYPROPYL METHYL CELLULOSE

CAS: 9004-64-2

RTECS: NF9050000

Fraction By Weight: 1.50%

PARAFFIN WAX

CAS: 8002-74-2

RTECS: RV0350000

Fraction By Weight: 1.0%

Hazards

Effects of Overexposure:INH:DIZZ,HEAD,RESP IRRIT;SKIN:IRRIT,MAY CAUSE BLISTERS/ABSORB TOXIC AMTS.EYES:SEV IRRIR,DAMAGE TISSU

First Aid

First Aid:SKIN:WASH W/SOAP & WATER,GET MD IF IRRIT/BLISTERING OCCURS;EYES:FLUSH W/LG VOL OF WATER FOR 15 MIN;INH:REMOVE TO FRESH AIR.GIVE CPR/OXY IF NEEDED;ING:DO NOT INDUCE VOMIT.DILUTE BY GIVING MILK/WATER;GE T MED ATTN IMMED FOR ANY PROBLEM.*SEE OTHER PRECAU

Fire Fighting

Flash Point:NONE Lower Limits:UNK Upper Limits:UNK Extinguishing Media:CO*2,FOAM Fire Fighting Procedures:USE SELF-CNTND BRTHNG APP.DO NOT USE CANISTERS W/HOPCALITE. Unusual Fire/Explosion Hazard:THERMAL DECOMPOSITION MAY PRODUCE TOXIC OXIDES OF CARBON & CHLORINE.

Accidental Release

Spill Release Procedures: VENTILATE AREA. WEAR PROTECTVE EQUIP.ELEMINATE IGN SOURCE.STOP LEAK W/O RISK.DIKE/CONTAIN SPILLAGE.WIPE UP OR ABSORB SPILLAGE ONTO ABSORBENT MATL.RECOVER IN DRUMS/CONTNRS WHICH ARE SUITABLE FOR SHIPMEN T TO DISPOSAL LOCATION.

Handling

Handling and Storage Precautions:TRANSPORT & STORE IN CLOSED CONTAINERS AT TEMPERATURES BELOW 90F.USE CARE IN OPENING DRUMS TO AVOID SPURTING OF CONTENTS. Other Precautions:NOTE:TO PHYSICIAN:POST STERNUM CHEST PAIN MAY INDICATE ACCUM OF DANG LEV OF CARBOXY HEMOGLBN;EFFECTS OF OVEREXPOSURE,ACUTE:MAY CAUSE ACCUM OF CARBOXYL HEMOGLBN.MAY LEAD TO ANESTHESIA/NORCOSIS.

Exposure Controls



Respiratory Protection:CANISTER TYPE MASK W/ORGANIC VAP CARTRIDGE;NEVER USE CANST W/HOPCLIT Ventilation:MECHANICAL VENTILATION(LOCAL EXHAUST) Protective Gloves:NEOPRENE Eye Protection:CHEMICAL GOGGLES Other Protective Equipment:SOLVENT RESISTANT BOOTS & APRON Supplemental Safety and Health HAZ INGRD:BALANCE OF MIXTURE CONTAIN:COMPLEX FATTY AMINESALT-0.5%;MERCAPTOBENZOTHIOZOLE-0.02%;WALNUT BROWN L.S.719(DYE)-0.01%;WATER-0.70%

•

Chemical Properties

HCC:C1 Boiling Pt:B.P. Text:APPROX,105F Vapor Pres:300 Vapor Density:>1.0 Spec Gravity:1.26 Evaporation Rate & Reference:Solubility in Water:SLIGHT Percent Volatiles by Volume:90.0

Stability

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS,STRONG ALKALI Hazardous Decomposition Products:TOXIC OXIDES OF CARBON & CHLORINE.

Disposal

Waste Disposal Methods:MFGR RECOMMENDS ONE OR ALL OF THE FOLLOWING METHODS:(1) INCINERATE IN AN APPRVD INCINERATOR W APPROPRIATE FUME SCRUBBER;(2) LANDFILL IAW LOCAL,STATE,FED REGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.