

BLEND 25756

MSDS Number

BFDJH

National Stock Number

6850-00-538-0929

Product Name

BLEND 25756

Manufacturer

UNION CHEMICAL DIV UNION OIL CO OF CALIFORNIA

Product Identification

Product ID: BLEND 25756

MSDS Date: 01/01/1987

FSC: 6850

NIIN: 00-538-0929

MSDS Number: BFDJH

Responsible Party

UNION CHEMICAL DIV, UNION OIL CO OF CALIFORNIA

1345 N. MEACHAM

SCHAUMBURG, IL 60196

US

Emergency Phone: 800-356-3129 (POISON CONTROL CNTR)

Info Phone: 312-619-2644

Cage: LO540

Contractor

UNOCAL CHEMICALS DIV., UNION OIL OF CALIFORNIA

SCHAUMBURG, IL 60196

US

312-490-2500/800-424-9300 (CHEMTREC)

Cage: 94684

Ingredients

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: U/K

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

CYCLOHEXANE (SARA III)

CAS: 110-82-7

RTECS: GU6300000

Fraction By Weight: U/K

OSHA PEL300 PPM

ACGIH TLV: 300 PPM, 9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

N-HEPTANE

CAS: 142-82-5

RTECS: MI7700000

Fraction By Weight: U/K

OSHA PEL500 PPM/500 STEL

ACGIH TLV: 400 PPM/500STEL;9293

METHYLCYCLOHEXANE

CAS: 108-87-2

RTECS: GV6125000

Fraction By Weight: U/K

OSHA PEL500 PPM

ACGIH TLV: 400 PPM; 9293

C6-C8 PARAFFINS & CYCLOPARAFFINS (SEE SUPPL.DATA)

Fraction By Weight: U/K

Hazards

Effects of Overexposure:EYES:IRRITATION;SKIN:IRRIT &
DERMATITIS;INHAL:RESP TRACT IRRIT,LIVER & KIDNEY DAMAGE,CNS
DEPRESSION

First Aid

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

Fire Fighting

Flash Point:Lower Limits:U/K

Upper Limits:U/K

Extinguishing Media:FOAM,CO*2,DRY CHEMICALS

Fire Fighting Procedures:WATER TO COOL CONTRS.WEAR SCBA IN FIRES AND
CONFINED AREA

Unusual Fire/Explosion Hazard:USE REASONABLE CARE.KEEP AWAY FROM HOT
SURFACES AND IGNITION SOURCES

Accidental Release

Spill Release Procedures:USE PROPER PERSONAL PROTECTION.USE INERT
MATERIAL AS ABSORBENT AND RECOVER FOR PROPER DISPOSAL.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED
AREA. KEEP AWAY FROM HEAT AND OPEN FLAMES.KEEP CONTAINER CLOSED
WHEN NOT IN USE.

Other Precautions:AVOID SKIN AND EYES EXPOSURE.DO NOT INHALE VAPORS.

Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS,OR SCBA
Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY/CHEM GOGGLES
Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE WASH STATION
Supplemental Safety and Health
MSDS DATED 9/25/85.INGREDIENTS: ETHYL ACETATE,ETHANOL,ISOPROPYL ALCOHOL AND METHYL ETHYL KETONE;%AGES NOT SPECIFIED.

Chemical Properties

HCC:F2
Boiling Pt:B.P. Text:200F/93C
Vapor Pres:U/K
Vapor Density:> 1.0
Spec Gravity:0.82
Evaporation Rate & Reference:SLOWER THAN ETHER
Solubility in Water:APPRECIABLE
Appearance and Odor:CLEAR LIQUID,CHARACTERISTIC ODOR
Percent Volatiles by Volume:100

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS,ACID,BASES SELECTED AMINES,ANHYDRIDES ETC.
Stability Condition to Avoid:NONE SPECIFIED
Hazardous Decomposition Products:THERMAL DECOMPOSITION WITH AIR MAY GIVE CO AND/OR CO*2.

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.