

## **ROYCO 363B**

### **MSDS Number**

BFDLR

### **National Stock Number**

9150-00-542-1430

### **Product Name**

ROYCO 363B

### **Manufacturer**

ROYAL LUBRICANTS CO INC

### **Product Identification**

Product ID:ROYCO 363B

MSDS Date:01/01/1987

FSC:9150

NIIN:00-542-1430

MSDS Number: BFDLR

### **Responsible Party**

ROYAL LUBRICANTS CO.,INC.

Emergency Phone: (201)887-7410

Cage: 07950

### **Contractor**

ROYAL LUBRICANTS COMPANY INC.

518

EAST HANOVER, NJ 07936

US

973-887-7411/7410

Cage: 07950

### **Ingredients**

HYDROTREATED LIGHT NAPHTENIC DISTILLATE,PETROLEUM

CAS: 64742-53-6

RTECS: PY8036000

Fraction By Weight: >97%.

ACGIH TLV: 5MG/CUM(MFR)

OTHER COMPONENTS

RTECS: QM4450000

Fraction By Weight:

DO NOT INDUCE VOMIT,GIVE 1/2 PT MILK/WTR.IF

RTECS: 9999999ZZ

THAN HIPS TO PREVENT ASPIRATION.KEEP VICTIM WARM AND AT

RTECS: 9999999ZZ

### **Hazards**

Effects of Overexposure:EYE:IRR;SKIN:DERMAT,FOLLIC,ACNE,NECROSIS IF INJECTED AT HIGH PRESS IN SKIN-SEE SUPPL DATA.

## First Aid

First Aid:EYE:FLUSH W/WTR 15 MIN HOLDING EYELID OPEN;SKIN:REMOVE CONTAM.CLOTH,WIPE EXCESS OFF.WASH W/WTRLESS CLNR FOLLOWD W/SOAP & WTR.IF IRR.PERSIST SEE DR.IF MTL INJECT.UNDER SKIN SEE DR.IMM.THOROUGH.CLEAN CL OTH BEFORE REUSE;-SEE SUPPL.DATA.

## Fire Fighting

Flash Point:>330F,166C,COC  
Extinguishing Media:CO\*2,DRY CHEM PWDR,FOAM.-DO NOT USE WTR JET.  
Fire Fighting Procedures:FIREFIGHTERS USE NIOSH APPVD SCBA & PROTECTIVE EQUIPMENT.  
Unusual Fire/Explosion Hazard:COOL FIRE EXPSD CONTAINERS WITH WATER.

## Accidental Release

Spill Release Procedures:REMOVE IGNITION SOURCES,VENTILATE AREA WELL.ABSORB WITH VERMICULITE OR OTHER MATERIALS, SUCH AS SAWDUST,RAGS,PAPER & PLACE IN CLOSED CONTAINER. USE NON SPARKING TOOLS. WEAR PROPER PROTECTIVE EQUIPMENT DURING CLEAN UP.

## Handling

Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTED LOW FIRE RISK AREA. PROTECT FROM HEAT,SHOCK,FRICTION. KEEP CONTAINERS CLOSED.  
Other Precautions:MINIMIZE SKIN CONTACT.WASH W/SOAP&WTR BEFORE EATING,DRINKING,SMOKING,USING TOILET.LAUNDR CONTAM.CLOTH BEFORE REUSE.PROPERLY DISPOSE OF CONTAM LEATHR ARTICL.INCLUDING SHOES THAT CANNOT BE CLEAN

## Exposure Controls

Respiratory Protection:NIOSH APPVD RESP.IF TLV IS EXCEEDED  
Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN  
Eye Protection:AS REQUIRED  
Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT.  
Supplemental Safety and Health  
MSDS DATED  
11-01-85/OVEREXPSRE,ING:CATHARSIS,DIARR.ASPIR.W/SUBSEQ.PULMON.INFIL TR.MAY OCCUR/FIRST AID,INH:REMOVE TO FRESH AIR.GIVE O\*2 IF BREATHING IS DIFFICULT,SEE DR;-SEE INGRED.SECT.

## Chemical Properties

HCC:V6  
Spec Gravity:0.87  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:TAN COLORED MILD BLAND PETROLEUM ODOR

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG OXID. AGTS.  
Stability Condition to Avoid:AVOID HEAT,OPEN FLAME  
Hazardous Decomposition Products:CO,UNIDENTIF.ORG.COMP,COMPLEX MIX SOLID,LIQ.PARTICLES,GAS.

## Disposal

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.