

DR065-CONCENTRATE

MSDS Number

BFGPC

National Stock Number

8010-00-584-3155

Product Name

DR065-CONCENTRATE

Manufacturer

DEVOE AND RAYNOLDS CO INC

Product Identification

Product ID:DR065-CONCENTRATE

MSDS Date:01/01/1985

FSC:8010

NIIN:00-584-3155

MSDS Number: BFGPC

Responsible Party

DEVOE & RAYNOLDS CO., INC.

Emergency Phone: 714-686-6950

Cage: EO559

Contractor

DEVOE COATINGS CO DIV OF GROW GROUP INC

RIVERSIDE, CA 92507-2606

US

Cage: 70506

Ingredients

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 89.0%

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 6.0%

OSHA PEL100 PPM/150 STEL

ACGIH TLV: 100 PPM/150STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS: 78-93-3

RTECS: EL6475000

Fraction By Weight:

OSHA PEL200 PPM/300 STEL

ACGIH TLV: 200 PPM/300STEL 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

2-BUTOXYETHANOL

CAS: 111-76-2

RTECS: KJ8575000

Fraction By Weight:

OSHA PELS, 50 PPM

ACGIH TLV: S, 25 PPM; 9293

Hazards

Effects of Overexposure: INHALATION-HEADACHE, NAUSEA, DIZZINESS. SKIN CONTACT-PROLONGED OR REPEATED CONTACT MAY IRRITATE SKIN

First Aid

First Aid: INHALATION-MOVE TO FRESH AIR. SKIN-FLUSH WITH LARGE AMOUNTS OF WATER. REMOVE CONTAMINATED CLOTHING. EYE CONTACT-FLUSH WITH CLEAN WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN.

Fire Fighting

Flash Point: 43F; 6.1C PMCC

Extinguishing Media: CO*2; DRY CHEMICAL; FOAM

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: WATER SHOULD BE USED TO COOL CONTAINERS EXPOSED TO FIRE.

Accidental Release

Spill Release Procedures: AVOID BREATHING VAPORS, EXTINGUISH IGNITION SOURCES IN IMMEDIATE AREA. AVOID CONTACT WITH LIQUID.

Handling

Handling and Storage Precautions: DO NOT STORE AT ELEVATED TEMPERATURES.

Other Precautions: CLOSE CONTAINERS AFTER USE.

Exposure Controls

Respiratory Protection: IN CONFINED AREAS, USE U.S. BUR OF MINES APPROVED RESPIRATOR.

Ventilation: LOCAL-SUFFICIENT TO KEEP CONCENTRATION BELOW GIVEN TLV

Protective Gloves: YES

Eye Protection: SOLVENT RESISTANT

Other Protective Equipment: NORMAL PROTECTIVE CLOTHING.

Supplemental Safety and Health

BOILING POINT RANGE: 80-173C

Chemical Properties

HCC: V3

Boiling Pt: B.P. Text: 176-343F

Vapor Density: >1

Spec Gravity: 1.09

Evaporation Rate & Reference: Solubility in Water: SLIGHT

Appearance and Odor: PINK -MOBILE LIQUID CONTAINING VOLATILE SOLVENTS

Percent Volatiles by Volume:77.2

Stability

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS; SOFTENS RUBBER

Stability Condition to Avoid:NA

Hazardous Decomposition Products:CO; CO*2

Disposal

Waste Disposal Methods:DISPOSE OF IN CLOSED CONTAINERS AWAY FROM
IGNITION SOURCES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.