

GP-0001-0075

MSDS Number

BFMHJ

National Stock Number

8010-00-721-9742

Product Name

GP-0001-0075

Manufacturer

SEYMOUR OF SYCAMORE INC

Product Identification

Product ID:GP-0001-0075

MSDS Date:01/01/1985

FSC:8010

NIIN:00-721-9742

MSDS Number: BFMHJ

Responsible Party

SEYMOUR OF SYCAMORE,INC.

Emergency Phone: 815-895-9101

Cage: 59581

Contractor

SEYMOUR OF SYCAMORE

SYCAMORE, IL 60178-1343

US

815-895-9101/800-255-3924

Cage: 59581

Ingredients

MINERAL SPIRITS

CAS: 64475-85-0

RTECS: PY8240000

Fraction By Weight: 1.23%

ACGIH TLV: .70

VARNISH MAKERS AND PAINTER NAPHTHA

RTECS: ZP1600000

Fraction By Weight: 6.57%

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 18 - 23%

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 2.80%

OSHA PEL100 PPM/150 STEL

ACGIH TLV: 100 PPM/150STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

METHYLENE CHLORIDE (DICHLOROMETHANE) (SARA III)

CAS: 75-09-2

RTECS: PA8050000

Fraction By Weight: 25%

OSHA PEL500 PPM; Z-2

ACGIH TLV: 50 PPM, A2; 9394

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

Hazards

Effects of Overexposure:INHA.-RESP AND NERVOUS TRACT DAMAGE POSSIBLE.
MAY IRRITATE EYES.

First Aid

First Aid:FUMES-REMOVE FROM EXPO,RESTORE BREATHING.KEEP WARM AND
QUIET.CALL DOCTOR. EYES-FLUSH WITH WATER. CALL DOCTOR. SKIN-WASSH
SOAP AND WATER. REMOVE CONTAMINATED CLOTHING.

Fire Fighting

Flash Point:10F

Extinguishing Media:USE CARBON DIOXIDE,DRY CHEMICAL OR FOAM

Fire Fighting Procedures:WATER COOL CONTAINERS.FOG NOZZLES.USE SELF
CONT BREATH GEAR

Unusual Fire/Explosion Hazard:EXPOSURE TO HEAT MAY CAUSE CAN TO BURST.

Accidental Release

Spill Release Procedures:REMOVE IGNITION SOURCES. AVOID
VAPORS,VENTILATE AREA. WIPE UP WITH INERT MATERIALS AND PLACE IN
APPROPRIATE CONTAINER.

Handling

Handling and Storage Precautions:DO NOT STORE ABOVE 120F.EXPOSURE TO
HEAT OR SUN MAY CAUSE BURSTING.

Other Precautions:USE ONLY AS DIRECTED. INHALATION MAY BE HARMFUL OR
FATAL.

Exposure Controls

Respiratory Protection:AVOID VAPORS AND SPRAY MIST

Ventilation:ADEQUATE

Protective Gloves:OPTIONAL

Eye Protection:SAFETY GOGGLES

Supplemental Safety and Health

ADD INGRED-PROPANE-NIOSH NO.TX2275000 ISOBUTANE-NIOSH NO.T24300000.HAZ

DECOMP CONT-FUMES MAY CONTAIN OXIDES OF NITROGEN & PHOSGENE.

Chemical Properties

HCC:V3
Boiling Pt:B.P. Text:NA
Percent Volatiles by Volume:85

Stability

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:OPEN FLAME
Hazardous Decomposition Products:HAZ FUMES WHEN HEATED. FUMES MAY CONTAIN (SEE SUPP DATA)

Disposal

Waste Disposal Methods:DO NOT INCINERATE AEROSOL,DISPOSE OF IN ACCORDANCE WITH LOCAL,STATE,FEDERAL REGS. DO NOT PLACE AEROSOL CANS IN HOME COMPACTOR. DO NOT PUNCTURE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.