

LACQUER, AEROSOL 11105 RED

MSDS Number

BFMHQ

National Stock Number

8010-00-721-9743

Product Name

LACQUER, AEROSOL 11105 RED

Manufacturer

SEYMOUR OF SYCAMORE

Product Identification

Product ID:LACQUER, AEROSOL 11105 RED

MSDS Date:01/01/1985

FSC:8010

NIIN:00-721-9743

MSDS Number: BFMHQ

Responsible Party

SEYMOUR OF SYCAMORE

Emergency Phone: 815-895-9101

Cage: 59581

Contractor

SEYMOUR OF SYCAMORE

SYCAMORE, IL 60178-1343

US

815-895-9101/800-255-3924

Cage: 59581

Ingredients

ETHYL ALCOHOL

RTECS: KJ5075000

Fraction By Weight: 1.79%

ACGIH TLV: 1000 PPM

VM&P NAPHTHA

RTECS: ZB1600000

Fraction By Weight: 7.02%

ACGIH TLV: 300 PPM

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 18.9%

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

METHYLENE CHLORIDE (DICHLOROMETHANE) (SARA III)

CAS: 75-09-2

RTECS: PA8050000

Fraction By Weight: 25.1%

OSHA PEL500 PPM; Z-2

ACGIH TLV: 50 PPM, A2; 9394

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 0.14%

OSHA PEL100 PPM/150 STEL

ACGIH TLV: 100 PPM/150STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

Hazards

Effects of Overexposure:INHALATION-IRRITATE RESP. TRACT;
HEADACHE,DIZZINESS,CONFUSION MAY BE EYE IRRITANT.

First Aid

First Aid:FUMES-REMOVE FROM EXPOSURE, RESTORE BREATHING, NOTIFY
PHYSICIAN. EYES-FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15
MIN. GET MEDICAL TREATMENT IMMEDIATELY. SKIN- WASH WITH SOAP &
WATER. REMOVE C ONTAMINATED CLOTHING.

Fire Fighting

Flash Point:-10F, AEROSOL
Extinguishing Media:CO2, DRY CHEMICAL OR FOAM
Fire Fighting Procedures:WATER MAY BE INEFFECTIVE WEAR GOGGLES& SELF
CONTAINED RESPIR
Unusual Fire/Explosion Hazard:EXPOSURE TO HEAT MAY CAUSE AEROSOL CAN TO
BURST

Accidental Release

Spill Release Procedures:REMOVE SOURCES OF IGNITION, AVOID BREATHING
VAPORS, VENTILATE AREA. WIPE UP WITH INERT MATERIALS & PLACE IN
APPROPRIATE CONTAINERS.

Handling

Handling and Storage Precautions:DO NOT STORE ABOVE 120F. EXPOSURE TO
HEAT OR PROLONGED EXPOSURE TO SUN MAY CAUSE BURSTING.
Other Precautions:USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY
DELIBERATELY CONCENTRATING VAPOR & INHALING CAN BE HARMFUL OR
FATAL.

Exposure Controls

Respiratory Protection:AVOID CONTINUOUS BREATHING OF VAPORS & SPRAY
MIST.
Ventilation:USE WITH ADEQUATE VENTILATION.
Protective Gloves:OPTIONAL

Eye Protection:IF MIST CAN GET INTO EYES
Supplemental Safety and Health
CONTRACT NO. TC-GS-10F-4612

Chemical Properties

HCC:V3
Boiling Pt:B.P. Text:NA
Vapor Density:>AIR
Evaporation Rate & Reference:>ETHER
Percent Volatiles by Volume:85

Stability

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:OPEN FLAME
Hazardous Decomposition Products:CO, OXIDES OF NITROGEN, & PHOSGENE

Disposal

Waste Disposal Methods:DO NOT INCINERATE AEROSOL. DISPOSE OF IN
ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS. DO NOT PLACE
AEROSOL CANS IN HOME COMPACTOR. DO NOT PUNCTURE CANS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.