

14050-GREEN

MSDS Number

BFMYQ

National Stock Number

8010-00-753-4549

Product Name

14050-GREEN

Manufacturer

PRATT AND LAMBERT

Product Identification

Product ID:14050-GREEN

MSDS Date:01/01/1985

FSC:8010

NIIN:00-753-4549

MSDS Number: BFMYQ

Responsible Party

PRATT & LAMBERT

Emergency Phone: 316-733-1361

Cage: PRATT

Contractor

PRATT AND LAMBERT INC

2153

CLEVELAND, OH 44101-1027

US

216-566-2902

Cage: 61196

Ingredients

MINERAL SPIRITS

CAS: 64475-85-0

RTECS: PY8240000

Fraction By Weight: 45.0%

ACGIH TLV: 500 PPM

METHYL ETHYL KETOXIME

RTECS: PM7783000

Fraction By Weight:

TRIETHYLAMINE (SARA III)

CAS: 121-44-8

RTECS: YE0175000

Fraction By Weight:

OSHA PEL25 PPM/15 STEL

ACGIH TLV: 10 PPM/15 STEL; 9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

Hazards

Effects of Overexposure: IRRIT OF NOSE, THROAT, EYES & POSS DIZZINESS & NAUSEA. SPRAY MIST CONTN LEAD.

First Aid

First Aid: INHAL: REMOVE FR EXPOSURE & PROVID FRESH AIR. SPLASH EYES-FLUSH IMMEDIATE W/LG AMTS OF WATER FOR 15 MIN. SPLASH SKIN: REMOVE CONTAM CLOTHING & WASH ALL AFFECTED AREA W/WATER. INGEST: DO NOT INDUCE VOMITING. CONSULT A DR. IMMEDIATE IN ALL CASES.

Fire Fighting

Flash Point: 104 F 40 C TCC
Extinguishing Media: CLASS B EXTING, CARBON DIOXIDE, DRY CHEM OR ALCOHOL FOAM
Fire Fighting Procedures: SELF CONTAINED BREATH APPARATUS. WATER MAY BE INEFFECTIVE.
Unusual Fire/Explosion Hazard: KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS & OPEN FLAME. DO NOT APPLY TO VERY HOT SURFACES.

Accidental Release

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION (FLAMES, HOT SURFACES, ELECTRICAL, STATIC OR FRICTIONAL SPARKS). VENTILATE AREA & AVOID BREATHING VAPORS. REMOVE WITH INERT ABSORBENT & NON-SPARKING TOOLS. STEPS MUST BE TAKEN TO PREVENT CONTAMINATION OF GROUND WATER OR STREAMS.

Handling

Handling and Storage Precautions: DO NOT STORE ABOVE 120 F. STORE LARGE QUANTITIES IN COMPLIANCE WITH OSHA 1910.106. CONTAINERS SHOULD BE GROUNDED & BONDED TO THE RECEIVING CONTAINER.
Other Precautions: DO NOT CUT OR WELD ON EMPTY CONTAINER. DO NOT USE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ & FULLY UNDERSTOOD BY THE USER.

Exposure Controls

Respiratory Protection: NIOSH APPROVED MECHANICAL RESPIRATOR TO REMOVE OVERSPRAY WHEN SPRAYING IN OUTDOOR
Ventilation: PROVIDE GENERAL DILUTION/LOCAL EXHAUST VENT TO KEEP CONCENTRATION BELOW ACCEPTABLE TLV
Protective Gloves: SOLVENT, IMPERMEABLE
Eye Protection: SAFETY EYEWEAR
Other Protective Equipment: PROTECTIVE EQUIPMENT TO PREVENT SKIN CONTACT. SEE OSHA, 29 CFR 1910.1025
Supplemental Safety and Health

Chemical Properties

Boiling Point: B.P. Text: 311-373 F
Vapor Density: > AIR
Evaporation Rate & Reference: Percent Volatiles by Volume: 62

Stability

Stability Indicator/Materials to Avoid: YES
AVOID CONTACT WITH STRONG ACIDS OR ALKALINE MATERIALS.
Stability Condition to Avoid: FIRES, HEAT & HOT SURFACES.
Hazardous Decomposition Products: BURNING WILL PRODUCE SMOKE & OXIDES OF CARBON & LEAD.
Conditions to Avoid Polymerization: DO NOT ADD DRIERS OR REACTIVE CHEMICALS WITHOUT TECHNICAL SUPERVISION.

Disposal

Waste Disposal Methods: DISPOSE IN ACCORD WITH LOCAL, STATE & FEDERAL REGULATIONS. INCINERATE IN EPA APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.