

## **XEROX "1200 TONER" PART NO.6R87**

### **MSDS Number**

BFTCR

### **National Stock Number**

6850-00-862-6636

### **Product Name**

XEROX "1200 TONER" PART NO.6R87

### **Manufacturer**

XEROX CORP

### **Product Identification**

Product ID:XEROX "1200 TONER" PART NO.6R87

MSDS Date:12/09/1986

FSC:6850

NIIN:00-862-6636

MSDS Number: BFTCR

### **Responsible Party**

XEROX CORPORATION

100 CLINTON AVE SOUTH

ROCHESTER , NY 14644-1877

US

Emergency Phone: 716-422-2177

Info Phone: 800-828-6571

Cage: 26921

### **Contractor**

XEROX CORPORATION

ROCHESTER, NY 14644-1877

US

800-828-6571/716-422-2177

Cage: 26921

### **Ingredients**

STYRENE, ACRYLATE COPOLYMER

CAS: 25213-39-2

Fraction By Weight: 85-90%

CARBON BLACK

CAS: 1333-86-4

RTECS: FF5800000

Fraction By Weight: 10-15%

OSHA PEL3.5 MG/M3

ACGIH TLV: 3.5 MG/M3; 9192

### **Hazards**

LD50 LC50 Mixture:ORAL LD 50 RATS:>15.38 G/KG

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:MINIMAL IRRITATION OF EYES,SKIN AND RESPIRATORY TRACT POSSIBLE.NO HEALTH HAZARDS WHEN USED AS INTENDED.

Explanation of Carcinogenicity:DATA PER MGF MSDS.

Effects of Overexposure:MINIMAL RESPIRATORY TRACT IRRITATION MAY OCCUR AS WITH EXPOSURE TO LARGE AMT OF ANY NON-TOXIC DUST.

Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN.

## First Aid

First Aid:EYES AND SKIN:FLUSH WITH LARGE AMOUNT OF WATER FOR ABOUT 15-20 MINUTES;SEEK MEDICAL ATTENTION IMMEDIATELY.INHALATION:REMOVE TO FRESH AIR;CALL A PHYSICIAN.INGESTION:SEEK MEDICAL ATTENTION IMMEDIATELY.

## Fire Fighting

Flash Point:NONE

Extinguishing Media:WATER,FOAM,DRY CHEMICAL

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:TONER IS A COMBUSTIBLE POWDER.WHEN DISPERSED IN AIR,IT FORMS EXPLOSIVE MIXTURES.

## Accidental Release

Spill Release Procedures:LOOSE TONER CAN BE REMOVED USING A VACUUM CLEANER.RESIDUE WITH SOAP & COLD WATER. AFTER REMOVAL OF LOOSE TONER,GARMENTS MAY BE WASHED OR DRY-CLEANED.

## Handling

Handling and Storage Precautions:GOGGLES & RESPIRATORS MAY BE REQUIRED WHEN HANDLING BULK TONER PROCESSING FACILITIES.

Other Precautions:WASH THOROUGHLY AFTER EACH USE.

## Exposure Controls

Respiratory Protection:NONE NORMALLY REQUIRED WHEN USED AS INTENDED.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:AS REQUIRED

Eye Protection:SAFETY GLASSES/GOGGLES

Other Protective Equipment:EYE-WASH FACILITIES,APRON.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST/DUST.WASH THOROUGHLY AFTER EACH USE

Supplemental Safety and Health

FOLLOW LABEL INSTRUCTIONS AND USE AS DIRECTED.

## Chemical Properties

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:1562F,850C

Spec Gravity:1.0

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK POWDER/FAINT ODOR

## Stability

Stability Indicator/Materials to Avoid:YES

NONE REPORTED

Stability Condition to Avoid:HIGH TEMPERATURES

Hazardous Decomposition Products:PRODUCTS OF COMBUSTION ARE TOXIC.AVOID BREATHING SMOKE.

## Disposal

Waste Disposal Methods:DO NOT INCINERATE. INSURE CONFORMITY W/FEDERAL,STATE OR LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.