

"308C, "C" PRESSURE TESTING SOLUTION

MSDS Number

BFXHN

National Stock Number

6850-00-933-7091

Product Name

"308C, "C" PRESSURE TESTING SOLUTION

Manufacturer

GENERAL MACHINE PRODUCTS CO INC

Product Identification

Product ID:"308C, "C" PRESSURE TESTING SOLUTION MSDS Date:01/01/1987 FSC:6850 NIIN:00-933-7091

MSDS Number: BFXHN

Responsible Party

GENERAL MACHINE PRODUCTS. CO. INC.

3111 OLD LINCOLN HWY

TREVOSE , PA 19047-4931

US

Emergency Phone: 215-357-5500

Cage: 24551

Contractor

GENERAL MACHINE PRODUCTS CO INC

TREVOSE, PA 19047-4931

US

215-357-5500

Cage: 24551

Ingredients

ETHYLENE GLYCOL (SARA III)

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight: 30%

OSHA PELC 50 PPM

ACGIH TLV: C 50 PPM, VAPOR; 9192

EPA Report Quantity: 1 LB DOT Report Quantity: 1 LB

Hazards

LD50 LC50 Mixture:TLV: 100 PPM

Routes of Entry: Inhalation: NO Skin: NO Ingestion: NO

Health Hazards Acute and Chronic: MILDLY IRRITATING TO SKIN & EYES

First Aid

First Aid:SKIN/EYE: IN CASE OF CONTACT, FLUSH WITH PLENTY OF WATER.

Fire Fighting



Flash Point Method:TOC Flash Point:>300F/148C

Extinguishing Media: USE PROPER MEDIA FOR SURROUNDING FIRE

Fire Fighting Procedures: NONE Unusual Fire/Explosion Hazard: NONE

Accidental Release

Spill Release Procedures: MOP, WIPE OR SOAK UP WITH ABSORBENT MATERIAL; DIKE TO PREVENT WATER POLLUTION.

Exposure Controls

Respiratory Protection:NONE Ventilation:NORMAL VENTILATION Protective Gloves:NONE Eye Protection:NONE Supplemental Safety and Health

Chemical Properties

HCC:N1
Boiling Pt:B.P. Text:264F/129C
Melt/Freeze Pt:M.P/F.P Text:-15F/-26C
Spec Gravity:1
Solubility in Water:70%

Appearance and Odor: AMBER LIQUID, MILDLY PUNGENT ODOR

Stability

Stability Indicator/Materials to Avoid:YES
OXIDIZING MATERIALS
Stability Condition to Avoid:S
Hazardous Decomposition Products:NONE STATED

Disposal

Waste Disposal Methods: MUST BE IN COMPLIANCE WITH APPLICABLE LOCAL, STATE & FEDERAL REGULATIONS; LANDFILL IF APPROVED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.