

FILM REMOVER, 8R27

MSDS Number

BGCNN

National Stock Number

6750-00-999-2134

Product Name

FILM REMOVER, 8R27

Manufacturer

XEROX CORP

Product Identification

Product ID: FILM REMOVER, 8R27

MSDS Date: 10/20/1986

FSC: 6750

NIIN: 00-999-2134

MSDS Number: BGCNN

Responsible Party

XEROX CORPORATION

100 CLINTON AVE SOUTH, XROX SQ

ROCHESTER, NY 14644-1877

US

Emergency Phone: 716-422-2177/1230

Info Phone: 800-828-6571/FAX 716-422-6449

Cage: 26921

Contractor

XEROX CORPORATION

ROCHESTER, NY 14644-1877

US

800-828-6571/716-422-2177

Cage: 26921

Ingredients

ISOPROPYL ALCOHOL (SARA III)

CAS: 67-63-0

RTECS: NT8050000

Fraction By Weight: 100%

OSHA PEL400 PPM/500 STEL

ACGIH TLV: 400 PPM/500 STEL; 9192

Hazards

LD50 LC50 Mixture: ORAL LD50: 5.84G/KG (RATS) PRAC NON-TOXIC

Routes of Entry: Inhalation: YES Skin: NO Ingestion: NO

Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic: DERMAL LD50: >16 G/KG (RABBITS)

PRACTICALLY NON-TOXIC. EYE IRRITATION: (RABBITS) MILDLY-IRRITATING.

SKIN IRRITATION: POTENTIALLY IRRITATING. THIS MATERIAL HAS BEEN

TESTED & EVALUATED BY XEROX CORPORATION. WHEN USED AS INTENDED, IT DOES NOT REPRESENT A HEALTH OR SAFETY HAZARD.

Explanation of Carcinogenicity: CARCINOGENS: NONE PRESENT (MFR)

Effects of Overexposure:CENTRAL NERVOUS SYSTEM DEPRESSION,
CARDIOVASCULAR & RESPIRATORY DEPRESSION & GASTROINTESTINAL
IRRITATION. PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE DEFATTING
OF THE SKIN.

Medical Cond Aggravated by Exposure:N/K

First Aid

First Aid:EYES:FLUSH THOROUGHLY W/H*20 FOR AT LEAST 15 MINUTES.
SKIN:WASH THOROUGHLY W/SOAP & H*20. INHALATION:REMOVE FROM EXPOSURE.
INGESTION:DILUTE STOMACH CONTENTS W/SEVERAL GLASSES OF WATER.
ADDITIONAL INFORM ATION:CALL PHYSICIAN. FURTHER INFORMATION ON FILE
IN POISINDEX.

Fire Fighting

Flash Point Method:TCC
Flash Point:12 C (53 F)
Lower Limits:2.0
Upper Limits:12.0
Extinguishing Media:SM FIRE: CO*2, DRY CHEM. LG: ALCOHOL-TYPE FOAM.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT . USE WATER SPRAY TO COOL CONTAINERS.
Unusual Fire/Explosion Hazard:A MODERATE EXPLOSION HAZARD OCCURS WHEN
THIS MATERIAL IS EXPOSED TO HEAT OR FLAMES.

Accidental Release

Spill Release Procedures:USE ADEQUATE VENTILATION. ELIMINATE SOURCES OF
IGNITION. SMALL SPILLS SHOULD BE FLUSHED W/LARGE QUANTITIES OF
WATER. LARGE SPILLS SHOULD BE COLLECTED FOR DISPOSAL.
Neutralizing Agent:N/K

Handling

Handling and Storage Precautions:DO NOT STORE NEAR HEAT, FLAMES,
SPARKS, OR STRONG OXIDANTS OR IN ALUMINUM CONTAINERS. KEEP
CONTAINERS CLOSED.
Other Precautions:AVOID HEAT, SPARKS & OPEN FLAMES.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR
EXPOSURE OF CONCERN . NONE DURING NORMAL USE. FOR LARGE SPILLS,
WEAR AIR-SUPPLIED MASKS (MFR).
Ventilation:VENTILATION APPROPRIATE FOR CONDITIONS OF USE.CONSULT
INDUSTRIAL HYGIENIST/SAFETY SPECIALIST FOR SPECIFIC GUIDANCE
Protective Gloves:WEAR RUBBER OR VINYL GLOVES
Eye Protection:CHEMICAL WORKERS GOGGLES
Other Protective Equipment:NONE REQUIRED WHEN USED AS INTENDED IN XEROX
EQUIPMENT.
Work Hygienic Practices:N/K
Supplemental Safety and Health
CARCINOGENITY:FP N

Chemical Properties

HCC:F2
Boiling Pt:B.P. Text:180F 82C
Melt/Freeze Pt:M.P/F.P Text:-89C(-128F)
Decomp Temp:Decomp Text:N/K
Vapor Pres:33
Vapor Density:2.07
Spec Gravity:0.79
Evaporation Rate & Reference:2.4, N-BUTYLACETATE=1
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR LIQUID, ALCOHOL ODOR
Percent Volatiles by Volume:100
Corrosion Rate:

Stability

Stability Indicator/Materials to Avoid:YES
ANHYDRIDE, ISOCYANITE, MONOMER & ORGANOMETALLIC COMBINATIONS, STRONG

OXIDANTS, ETHYLENE OXIDE, OLEUM.

Stability Condition to Avoid:N/K

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

Disposal

Waste Disposal Methods:ABSORB LIQUID ON VERMICULATE OR OTHER ABSORBANT MATERIAL OR ATOMIZE INTO AN INCINERATOR WHERE PERMITTED. DISPOSE ACCORDING TO LOCAL,STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.