

# **D PLUS, PART A**

# **MSDS Number**

**BGFGH** 

# **National Stock Number**

5805-01-023-2685

## **Product Name**

D PLUS, PART A

#### Manufacturer

PSI TELCO INC

## **Product Identification**

Product ID:D PLUS, PART A MSDS Date:12/01/1986 FSC:5805 NIIN:01-023-2685 Kit Part:Y

# MSDS Number: BGFGH **Responsible Party**

PSI TELCO INC.

3333 N SAN FERNANDO BLVD

BURBANK, CA 91504

US

Emergency Phone: 213-843-7944

Info Phone: 213-843-7944

Cage: 34261

# **Contractor**

PSI TELECOMMUNICATIONS INC.

BURBANK, CA 91504

US

800-426-8688 Cage: 3V085

## **Ingredients**

METHYLENE(3,5-DI-TERT-BUTYL-4-HYDROXYHYDROCINNAMATE)

Fraction By Weight: 7.5% OSHA PELC, 0.02 PPM

ACGIH TLV: 0.005 PPM; 8990

TETRAKIS (CAS# 6683-19-8)

CAS: 6683-19-8

Fraction By Weight: 1.4%

PHENYL MERCURIC OLEATE Fraction By Weight: 0-15% OSHA PELNONE ESTABLISHED



ACGIH TLV: NONE ESTABLISHED

#### **Hazards**

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: MINOR IRRITATION OF SKIN AND EYES.

INGESTION OF LARGE AMOUNTS MAYCAUSE MERCURY POISONING. REDDENING OR

BURNING IN EYES, SKIN RASH, ITCHING.

Effects of Overexposure: SEE "HELATH HAZARDS" Medical Cond Aggravated by Exposure: NONE STATED.

#### First Aid

First Aid: WASH SKIN THOROUGHLY WITH SOAP AND WATER. FLUSH EYES THOROUGHLY WITH WATER. IF INGESTED, INDUCE VOMITING AND CALL A PHYSICIAN.

# Fire Fighting

Flash Point Method:COC Flash Point:222F/105.6C

Extinguishing Media: DRY CHEMICAL, CATBON DIOXIDE, FOAM.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: IN A FIRE, TRACE AMOUNTS OF MERCURY VAPOR MAY LIKELY TO BE LIBERATED.

# Accidental Release

Spill Release Procedures: ABSORB WITH OIL-ABSORBENT COMPOUND AND REMOVE FLUSH AREA WITH DETERGENT AND WATER.

#### Handling

Handling and Storage Precautions: PROTECT SKIN FROM CONTACT WITH MATERIAL. PROTECT EYES FROM SPLASHING.
Other Precautions: KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT BEING USED TO PREVENT MOISTURE CONTAMINATION.

#### **Exposure Controls**

Respiratory Protection: NONE REQUIRED Ventilation: NORMAL VENTILATION. Protective Gloves: RUBBER OR PLASTIC. Eye Protection: SPLASH GOGGLES.

Other Protective Equipment: NORMAL WORK CLOTHING COVERING ARMS & LEGS.

Supplemental Safety and Health PART A OF A TWO PART KIT.?????

#### **Chemical Properties**

HCC:N1

Boiling Pt:B.P. Text:510-535F

Vapor Pres:0.07 Spec Gravity:0.93 Solubility in Water:NIL

Appearance and Odor: CLEAR YELLOW OILY LIQUID WITH A MILD ODOR.

#### **Stability**

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: EXTREMELY HIGH TEMPERATURES WHICH MAY CAUSE DECOMPOSITION.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, HYDROCARBONS, TRACES OF MERCURY VAPOR.

# **Disposal**

Waste Disposal Methods: TO COMPLY WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,



expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.