F CATALYST

MSDS Number

BGJVQ

National Stock Number

5970-01-062-0884

Product Name

F CATALYST

Manufacturer

ELECTRICAL INSULATION(DIST) DOW CORNING CORP(MFR)

Product Identification

Product ID:F CATALYST MSDS Date:01/01/1987 FSC:5970 NIIN:01-062-0884 MSDS Number: BGJVO

Responsible Party

ELECTRICAL INSULATION(DIST), DOW CORNING CORP(MFR).

Emergency Phone: 517-496-5900

Cage: 7L738

Contractor

ELECTRICAL INSULATION SUPPLIES INC

267

RICHMOND, VA 23223-2310

804-649-9221

US

Cage: 7L738

Ingredients

SILICONE COMPOUND

Fraction By Weight: 95.0%

STANNOUS OCTOATE

Fraction By Weight: 5.0%
OSHA PELS, 0.1 MG/M3 (SN)
ACGIH TLV: S, 0.1 MG/M3 (SN)

Hazards

Effects of Overexposure: EYE: IRRT, CORN INJURY POS.SKN: FLUSH, IRRT, BURN, INHL: IRRT, PAIN. INGEST: POSS ALLERGIC REACT.

First Aid

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

Fire Fighting

Flash Point:7250F/121C OC



Extinguishing Media:WATER FOG, CO*2, DRY CHEM, FOAM Fire Fighting Procedures:USE SCBA & FULL BODY PROTECT. Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures: USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL.

Handling

Handling and Storage Precautions: STORE BELOW 90F. USE REASONABLE CARE. Other Precautions: NONE.

Exposure Controls

Respiratory Protection: NONE

Ventilation: MECHANICAL IS RECOMMENDED

Protective Gloves: NONE

Eye Protection: SAFETY GLASSES Supplemental Safety and Health

MSDS DTD 70CT85. PT B OF TWO-PART A&B KIT. DO NOT SEPARATE IN STORAGE

OR SHIPMENT.KEY1;N1.

Chemical Properties

HCC:N1

Boiling Pt:B.P. Text:>300F Vapor Pres:Spec Gravity:1.22

Evaporation Rate & Reference: Solubility in Water: Appearance and Odor: VERY LITTLE ODOR; PASTE-LIKE; SOME COLOR.

Percent Volatiles by Volume:

Stability

Stability Indicator/Materials to Avoid:YES
OXIDIZING MATERIAL CAN CAUSE A REACTION.
Hazardous Decomposition Products:METAL OXIDES,CO*2 & TRACES OF
INCOMPLETELY BURNED C PRODUCTS

Disposal

Waste Disposal Methods: RECOMMENDED METHODS ARE LANDFILL AND INCINERATION. HOWEVER, DOW CORNING SUGGESTS THAT ALL LOCAL, STATE, AND FEDERAL REGULATIONS CONCERNING HEALTH AND POLLUTION BE REVIEWED TO DETERMINE APPROVED DISPOS AL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.