https://msdsreport.com/msds/BGKKW

CEE-BEE CLEANER 101

MSDS Number

BGKKW

National Stock Number

8030-01-071-5588

Product Name

CEE-BEE CLEANER 101

Manufacturer

MCGEAN ROHCO INC

Product Identification

Product ID:CEE-BEE CLEANER 101 MSDS Date:09/01/1991 FSC:8030 NIIN:01-071-5588 MSDS Number: BGKKW

Responsible Party

MCGEAN-ROHCO INC

9520 E CEE BEE DR

DOWNEY, CA 90241

US

Emergency Phone: 800-424-9300 (CHEMTREC)

Info Phone: 216-441-4900

Cage: 71361

Contractor

MCGEAN-ROHCO INC

DOWNEY, CA 90241-5501

US

562-803-6701

Cage: 71361

Ingredients

PHOSPHORIC ACID (SARA 313) (CERCLA) CAS: 7664-38-2 RTECS: TB6300000 Fraction By Weight: 30-50% OSHA PEL1 MG/M3 ACGIH TLV: 1 MG/M3; 3 STEL EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

SEC-BUTYL ALCOHOL (SARA 313) CAS: 78-92-2 RTECS: EO1750000 Fraction By Weight: 15-25% OSHA PEL150 PPM

ACGIH TLV: 100 PPM

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:CORROSIVE TO SKIN AND EYES. POSSIBLE DERMATITIS. VAPORS CAN CAUSE DIZZINESS AND NAUSEA. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

•

First Aid

First Aid:INGEST: CALL MD IMMEDIATELY . SKIN: WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. INHAL: REMOVE TO FRESH AIR.

Fire Fighting

Flash Point Method:TCC Flash Point:142F,61C Extinguishing Media:CARBON DIOXIDE, WATER FOG. Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . Unusual Fire/Explosion Hazard:NONE.

Accidental Release

Spill Release Procedures: ABSORB WITH ABSORBENT SUCH AS VERMICULITE. PLACE IN SUITABLE CONTAINERS. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: STORE IN CLOSED CONTAINERS IN A COOL, DRY WELL-VENTILATED AREA AT 32-90F. OPEN CONTAINERS SLOWLY AND WITH CAUTION.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR IF TLV IS EXCEEDED. Ventilation:SUFFICIENT TO KEEP BELOW TLV LIMITS. Protective Gloves:RUBBER GLOVES. Eye Protection:ANSI APPRVD CHEM WORKERS GOGGS (SUPDAT) Other Protective Equipment:ANSI APPROVED EMERGENCY EYE WASH AND DELUGE SHOWER . SUFFICIENT TO PREVENT SKIN CONTACT. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health EYE PROT: & FULL LENGTH FACESHIELD .

Chemical Properties

HCC:F6 Boiling Pt:B.P. Text:>212F,>100C Spec Gravity:1.16 pH:ACIDIC Evaporation Rate & Reference:Solubility in Water:SOLUBLE Appearance and Odor:CLEAR LIQUID; SOLVENT ODOR. Percent Volatiles by Volume:60

Stability

Stability Indicator/Materials to Avoid:YES STRONG ALKALIES. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE KNOWN.

Disposal



Waste Disposal Methods:SEND TO AN APPROVED WASTE DISPOSAL FACILITY. FOLLOW ALL STATE, LOCAL AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.