

78-6969-6234-5

MSDS Number

BGLNM

National Stock Number

6750-01-092-8873

Product Name

78-6969-6234-5

Manufacturer

MINNESOTA MINING AND MFG CO DOCUMENT SYSTEMS DIV

Product Identification

Product ID:78-6969-6234-5 MSDS Date:11/27/1989 FSC:6750 NIIN:01-092-8873 MSDS Number: BGLNM

Responsible Party

MINNESOTA MINING & MFG CO DOCUMENT SYSTEMS DIV

3M CTR

ST PAUL, MN 55144-1000

US

Emergency Phone: 612-733-1110

Info Phone: 612-733-1110

Cage: 76381

Contractor

MINNESOTA MINING AND MFG CO, DBA 3M

SAINT PAUL, MN 55144-1000

US

866-556 5712 / 612-733-1110

Cage: 76381

Ingredients

PAPER/FILM

Fraction By Weight: 80-90%

POLY VINYL BUTYRAL RESIN

CAS: 63148-65-2

Fraction By Weight: 2-5%

CELLULOSE ACETATE (RESIN)

CAS: 9004-35-7

Fraction By Weight: 2-5%



CAS: 119-47-1 RTECS: PA3500000

Fraction By Weight: 1-3%

SILVER BEHENATE

CAS: 2489-05-6

Fraction By Weight: 0.5-2% OSHA PEL0.01 MG/M3 (AG) ACGIH TLV: 0.01 MG/M3 (AG)

BEHENIC ACID CAS: 112-85-6

Fraction By Weight: 0.5-2%

MERCURIC BROMIDE

CAS: 7789-47-1

RTECS: OV7415000 Fraction By Weight:

OSHA PELO.1 MG/M3 (HG) ACGIH TLV: 0.1 MG/M3 (HG)

MERCURIC ACETATE (SARA III)

CAS: 1600-27-7 RTECS: AI8575000 Fraction By Weight:

OSHA PELO.1 MG HG/M3;SKIN;C ACGIH TLV: 0.1 MG HG/M3; 9192

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Hazards

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: VAPORS AND/OR DUST MADE DURING
PROCESSING OR MACHINE SERVICE MAY CAUSE MILD EYE, SKIN &
RESPIRATORY TRACT IRRITATION. INGESTION OF THE PAPER MAY CAUSE
DIGESTIVE SYSTEM IRRITATION. CHRONIC: PROL ONGED OR REPEATED
OVEREXPOSURE TO MERCURY CAN CAUSE KIDNEY, LIVER, LUNG, NERVOUS
SYSTEM AND REPRODUCTIVE SYSTEM DAMAGE.
Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS
LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.
Effects of Overexposure:EYE, SKIN & RESPIRATORY TRACT IRRITATION.
OVEREXPOSURE TO MERCURY MAY INCLUDE HEADACHE, TREMORS, IMPAIRED
MEMORY, PSYCHOLOGICAL DISORDERS, LOSS OF APPETITE, INSOMNIA,
EXCESSIVE SALIVATION, SWOLLEN GUM S, INCREASED EXCITABILITY,
CHILLS, NAUSEA, SHORTNESS OF BREATH, WEAKNESS, FATIGUE, MENSTRUAL
DISORDERS & DECREASED SPERM

Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, RESPIRATORY TRACT, KIDNEY, LIVER, NERVOUS SYSTEM OR REPRODUCTIVE SYS MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid



First Aid:INHALATION:REMOVE TO FRESH AIR. GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET IMMEDIATE MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION: NOT NORMALLY ANTICIPATED. DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET MEDICAL ATTENTION.

Fire Fighting

Extinguishing Media: WATER, FOAM

Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

Accidental Release

Neutralizing Agent: NOT APPLICABLE.

Handling

Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions: WASH THOROUGHLY AFTER HANDLING.

Exposure Controls

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL(TLV), USE NIOSH/MSHA APPROVED DUST RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION.

Ventilation: MECHANICAL (GENERAL) ROOM VENTILATION IS NORMALLY ADEQUATE.

LOCAL EXHAUST MAY BE REQUIRED DURING SERVICE.

Protective Gloves: NITRILE RUBBER

Eye Protection: SAFETY GLASSES TO AVOID EYE CONTACT.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: DO NOT EAT, DRINK OR SMOKE DURING EQUIPMENT

CLEANING AND SERVICING. WASH THOROUGHLY AFTERWARDS.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE TO DUST DURING OPERATION. DO NOT GET ON SKIN OR IN EYES, DO NOT BREATHE VAPORS OR DUST.

Chemical Properties

HCC:N1

Spec Gravity:1

Solubility in Water:SLIGHT

Appearance and Odor: WHITE COATED PAPER, SLIGHT ODOR

Stability

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
MERCURY COMPOUNDS, SILVER COMPOUNDS, AND CARBON PARTICLES IF

Disposal

BURNED.

Waste Disposal Methods: RECLAMATION OF SILVER AND/OR PAPER IS PREFERRED, ESPECIALLY FOR LARGER QUANTITIES. DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.