https://msdsreport.com/msds/BGLTL

•

## <u>A24-4-54016</u>

**MSDS Number** 

BGLTL

**National Stock Number** 

### 6830-01-099-6297

Product Name

A24-4-54016

Manufacturer AIR PRODUCTS AND CHEMICALS INC

### **Product Identification**

Product ID:A24-4-54016 MSDS Date:01/01/1987 FSC:6830 NIIN:01-099-6297 MSDS Number: BGLTL

### **Responsible Party**

AIR PRODUCTS AND CHEMICALS INC

7201 HAMILTON BLVD

ALLENTOWN , PA 18195-1501

US

Emergency Phone: 610-481-7711/800-523-9374

Info Phone: 800-752-1597/610-481-7711

Cage: 00742

### Contractor

AIR PRODUCTS AND CHEMICALS INC

ALLENTOWN, PA 18195-1501

US

800-345-3148/ 800-752-1597

# Cage: 00742

### Ingredients

KRYPTON \*97-2\*

# CAS: 7439-90-9

### Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:KRYPTON IS NONTOXIC BUT MAY DISPLACE OXYGEN IN AIR TO PRODUCE HAZARDOUS ATMOSPHERES. DEATH MAY RESULT AT OXYGEN LEVELS OF 8%/LESS. LIQUID KRYPTON MAY CAUSE CRYOGENIC BURNS & FREEZE TISSUES. Explanation of Carcinogenicity:NONE Effects of Overexposure:BURNS, DIZZINESS, NAUSEA, VOMITING, LOSS OF CONSCIOUSNESS.

### First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE CPR & SUPPLEMENTAL OXYGEN IF NEEDED. KEEP WARM & QUIET. SKIN: FLOOD/SOAK FROZEN TISSUES W/TEPID WATER (105-115F). DON'T USE HOT WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.



### **Accidental Release**

Spill Release Procedures: PROVIDE ADEQUATE VENTILATION TO DISSIPATE GAS & PREVENT FORMATION OF OXYGEN DEFIENT ATMOSPHERE.

•

#### Handling

Handling and Storage Precautions: PROTECT AGAINST PHYSICAL DAMAGE. STORE CYLINDERS IN COOL, DRY, WELL-VENTILATED AREA OF NONCOUSTIBLE CONSTRUCTION. STORE Other Precautions: STORE CYLINDERS IN AN UPRIGHT POSITION & FIRMLY SECURED. SEGRAGATE FULL & EMPTY CYLINDERS. USE ONLY IN A WELL VENTILATED AREA. AVOD DRAGGING/SLIDING CYLINDERS, EVEN FOR SHORT DISTANCES. USE A SUITABLE HAND TRUCK FOR CYLINDER MOVEMENT. (SUPP)

### **Exposure Controls**

Respiratory Protection:WEAR A POSITIVE PRESSURE SCBA IN EMERGENCIES. Ventilation:USE IN WELL-VENTILATED AREA. Protective Gloves:LEATHER Eye Protection:SAFETY GOGGLES/GLASSES Other Protective Equipment:SAFETY SHOES Supplemental Safety and Health WASTE DISPOSAL: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS. OTHER PRECAUTIONS: NEVER DROP CYLINDERS/ALLOW THEM TO STRIKE EACH OTHER VIOLENTLY. KEEP VALVE PROTECTION CAP IN PLACE UNTIL CYLINDER IS SECURED & READY FOR USE.

#### **Chemical Properties**

HCC:G3 Boiling Pt:B.P. Text:-244.1F Melt/Freeze Pt:M.P/F.P Text:-250.9F Solubility in Water:NEGLIGIBLE Appearance and Odor:A COLORLESS, TASTELESS GAS W/NO ODOR.

#### Stability

Stability Indicator/Materials to Avoid:YES NONE Hazardous Decomposition Products:NONE

#### Disposal

Waste Disposal Methods:DON'T ATTEMPT TO REFILL. VENT CYLINDER TO APPROPRIATE DISPOSAL AREA THUS REMOVING ALL PRODUCT. OPEN VALVE FULLY & DETERMINE THAT NO PRESSURE REMAINS IN CYLINDER. PUNCH A HOLE IN CYLINDER. DISPOSE OF B UT DON'T INCINERATE. (SEE SUPP)

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.