

DUSTER PLUS - LEMON

MSDS Number

BGTVQ

National Stock Number

7930-00F008193

Product Name

DUSTER PLUS - LEMON

Manufacturer

S C JOHNSON AND SON INC

Product Identification

Product ID:DUSTER PLUS - LEMON

MSDS Date:03/24/1986

FSC:7930

NIIN:00F008193

MSDS Number: BGTVQ

Responsible Party

S.C. JOHNSON & SON, INC.

1525 HOWE STREET

RACINE , WI 53403

Emergency Phone: (414) 631-2000

Info Phone: (414) 631-2777

Preparer: GORDON B. BRADSHAW

Cage: 3E566

Contractor

SC JOHNSON AND SON INC

RACINE, WI 53403-2236

US

800-725-6737

Cage: 32204

Ingredients

HYDROCARBON OIL

Fraction By Weight: 5-10%

ISOPARAFFINIC HYDROCARBON SOLVENT

FORMALDEHYDE (SARA III)

CAS: 50-00-0

RTECS: LP8925000

Fraction By Weight:

OSHA PELSEE 1910.1048

ACGIH TLV: C 0.3 PPM; A2; 9293

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

PROPANE

CAS: 74-98-6

RTECS: TX2275000

Fraction By Weight: 15-25%

OSHA PEL1000 PPM

ACGIH TLV: ASPHYXIAN; 9192

ISOBUTANE

CAS: 75-28-5

RTECS: TZ4300000

Fraction By Weight: 15-25%

OSHA PEL1800 MG/CUM

BUTANE

CAS: 106-97-8

RTECS: EJ4200000

Fraction By Weight: 15-25%

OSHA PEL800 PPM

ACGIH TLV: 800 PPM; 9192

WATER, H2O

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 30-40%

FRAGRANCE

Fraction By Weight:

Hazards

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN: PROLONGED OR REPEATED CONTACT OF
PRODUCT WITH SKIN MAY CAUSE IRRITATION.
Explanation of Carcinogenicity:FORMALDEHYDE LISTED AS AN A2 CARCINOGEN
BY ACGIH.
Effects of Overexposure:SKIN: PROLONGED OR REPEATED CONTACT OF PRODUCT
WITH SKIN MAY CAUSE IRRITATION.

First Aid

First Aid:SKIN: REMOVE WITH SOAP & WATER.

Fire Fighting

Flash Point Method:TCC
Flash Point:Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG
Fire Fighting Procedures:FIGHT FIRE FROM MAXIMUM DISTANCE OR PROTECTED
AREA. COOL AND USE CAUTION WHEN APPROACHED OR HANDLING FIRE-EXPOSED
CONTAINERS.
Unusual Fire/Explosion Hazard:CONTAINERS MAY ROCKED OR EXPLODE IN HEAT

OF FIRE.

Accidental Release

Spill Release Procedures:ELIMINATE ALL IGNITION SOURCES. RINSE AFFECTED AREA THOROUGHLY WITH WATER.

Handling

Handling and Storage Precautions:CAUTION: FLAMMABLE. CONTENTS UNDER PRESSURE.

Other Precautions:DON'T USE NEAR FIRE, FLAME, OR PILOT LIGHT. DON'T SET ON STOVE OR RADIATOR OR KEEP WHERE TEMPERATURE WILL EXCEED 120F AS CONTAINER MAY BURST.

Exposure Controls

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS.

Ventilation:GENERAL ROOM VENTILATION ADEQUATE.

Supplemental Safety and Health

Chemical Properties

Spec Gravity:0.75

Solubility in Water:MODERATE

Appearance and Odor:DISPENSED AS A SPRAY MIST WITH LEMON ODOR.

Stability

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:WHEN EXPOSED TO FIRE, PRODUCES NORMAL PRODUCTS OF COMBUSTION.

Disposal

Waste Disposal Methods:DISPOSE OF AEROSOL CAN BY WRAPPING & PLACING IN TRASH. DON'T PUNCTURE OR BURN CONTAINER. DISPOSE OF SPILLED RESIDUES & MULTIPLE UNITS IN ACCORDANCE WITH ALL FEDERAL/STATE REGULATIONS & LOCAL ORDINANCES .

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.