

SCOTTS PROTURF FERTILIZER/INSECTICIDE III

MSDS Number

BGVHS

National Stock Number

8720-00F008495

Product Name

SCOTTS PROTURF FERTILIZER/INSECTICIDE III

Manufacturer

O M SCOTT AND SONS COMPANY

Product Identification

Product ID:SCOTTS PROTURF FERTILIZER/INSECTICIDE III

MSDS Date:11/18/1987

FSC:8720

NIIN:00F008495

MSDS Number: BGVHS

Responsible Party

O.M. SCOTT & SONS COMPANY

14111 SCOTTSLAWN ROAD

MARYSVILLE, OH 43041

Emergency Phone: (513) 644-0011

Info Phone: (513) 644-0011

Cage: OMSCO

Contractor

SCOTT CO

MARYSVILLE, OH 43041

US

513-644-0011

Cage: 6K952

Ingredients

CHLORPYRIFOS (SARA III)

CAS: 2921-88-2

RTECS: TF6300000

Fraction By Weight: 0.92%

OSHA PELS, 0.2 MG/M3

ACGIH TLV: S, 0.2 MG/M3; 9192

EPA Report Quantity: 1 LB DOT Report Quantity: 1 LB

UREA (URETHANE PREOLYMER)

CAS: 57-13-6

RTECS: YR6250000



CAS: 7722-76-1

POTASSIUM SULFATE

CAS: 7778-80-5 RTECS: TT5900000

Hazards

LD50 LC50 Mixture:ORAL LD50 (RAT) > 5 G/KG. Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGESTION: POSSIBLE NAUSEA, VOMITING, OR DIARRHEA. CHOLINESTERASE INHIBITION MAY OCCUR (CRAMPS, HEADACHE,

ATAXIA, SALIVATION, LACRIMATION, TREMORS, DIZZINESS). EYE: MAY

CAUSE IRRITATION.

Explanation of Carcinogenicity: NONE

Effects of Overexposure:INGESTION: POSSIBLE NAUSEA, VOMITING, OR DIARRHEA. CHOLINESTERASE INHIBITION MAY OCCUR (CRAMPS, HEADACHE, ATAXIA, SALIVATION, LACRIMATION, TREMORS, DIZZINESS). EYE: MAY CAUSE IRRITATION.

First Aid

First Aid:INGESTION: GIVE MILK & DEMULCENTS. INDUCE VOMITING OR PERFORM GASTRIC LAVAGE. INHALATION: TREAT SIGNS OF CHOLINESTERASE INHIBITION W/ATROPINE, TREAT SYMPTOMATICALLY. EYES: FLUSH W/WATER FOR 15 MINUTES. IF IRRITATION PERSISTS, GET MED ATT. LAUNDER CONTAMINATED CLOTHES.

Fire Fighting

Extinguishing Media:DRY CHEMICAL Fire Fighting Procedures:USE SELF-CONTAINED AIR SUPPLY

Accidental Release

Spill Release Procedures: SWEEP UP. AVOID INHALATION OR CONTACT W/SKIN, EYES, OR CLOTHING, WASH THOROUGHLY AFTER HANDLING. LAUNDER CONTAMINATED CLOTHES.

Handling

Handling and Storage Precautions: AVOID BAG BREAKAGE. AVOID INHALATION/CONTACT W/SKIN, EYES, OR CLOTHING. WASH THOROUGHLY AFTER HANDLING, LAUNDER CONTAMINATED CLOTHING.

Other Precautions: DON'T CONTAMINATE FEED OR FOODSTUFFS. KEEP AWAY FROM CHILDREN & ANIMALS. KEEP OUT OF LAKES, STREAMS, OR PONDS. MAY BE ABSORBED THROUGH THE SKIN.

Exposure Controls

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING, LAUNDER CONTAMINATED CLOTHING.
Supplemental Safety and Health

Chemical Properties

Appearance and Odor: GRANULAR

Stability

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:UREA & METHYLENE UREA NITROGEN SOURCES CAN GENERATE AMMONIA IN A FIRE.

Disposal

Waste Disposal Methods: DISPOSE OF SMALL WASTE QUANTITIES ACCORDING TO LABEL DIRECTIONS. FOR LARGE QUANTITIES OF WASTE, CONSULT LOCAL WASTE OFFICIALS.

Disclaimer (provided with this information by the compiling agencies):



This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.