

## **AUTO F2/AUTOCOM FILM FIXER, PART B**

### **MSDS Number**

BGXPXN

### **National Stock Number**

6750-01-113-2441

### **Product Name**

AUTO F2/AUTOCOM FILM FIXER, PART B

### **Manufacturer**

ALTA CHEMICAL CORP

### **Product Identification**

Product ID:AUTO F2/AUTOCOM FILM FIXER, PART B

MSDS Date:02/01/1987

FSC:6750

NIIN:01-113-2441

Kit Part:Y

MSDS Number: BGXPXN

### **Responsible Party**

ALTA CHEMICAL CORP.

11526 SORRENTO VALLEY ROAD, SUITE F

SAN DIEGO , CA 92121-1314

US

Emergency Phone: 619-453-5010

Info Phone: 619-453-5010

Cage: 8L886

### **Contractor**

DATAGRAPHIX

82449

SAN DIEGO, CA 92138

US

301-572-2000

Cage: 4U342

### **Ingredients**

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: >90%

AMMONIUM THIOSULFATE

CAS: 7783-18-8

RTECS: XN6465000

Fraction By Weight:

SODIUM SULFITE

CAS: 7757-83-7

RTECS: WE2150000

Fraction By Weight:

ACETIC ACID (SARA III)

CAS: 64-19-7

RTECS: AF1225000

Fraction By Weight:

OSHA PEL10 PPM

ACGIH TLV: 10 PPM/15 STEL; 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

SODIUM ACETATE

CAS: 126-96-5

RTECS: AJ4375000

Fraction By Weight:

OSHA PELNONE ESTABLISHED

ACGIH TLV: NONE ESTABLISHED

## Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SEE "SIGNS & SYMPTOMS"

Effects of Overexposure:LOW HAZARD SINCE SOLUTION CONTAINS LESS THAN 2%

ACETICV ACID.

## First Aid

First Aid:EYE/SKIN: WASH WITH WATER IF CONTACTED; INGEST: GIVE LARGE AMOUNTS OF WATER, DO NOT INDUCE VOMITING.

## Fire Fighting

Flash Point:NONE

Extinguishing Media:USE AGENT APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN OR EYES.

Unusual Fire/Explosion Hazard:FIRE/EXCESSIVE HEAT MAY CAUSE PRODUCTION

HAZAROUS DECOMPOSITION PRODUCTS AFTER WATER EVAPORATES.

## Accidental Release

Spill Release Procedures:FLUSH MATERIAL TO AUTHORIZED DRAIN SITE WITH LARGE AMOUNTS OF WATER.

## Handling

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED & AWAY FROM INCOMPATIBLE MATERIALS.

Other Precautions:NONE STATED.

## Exposure Controls

Respiratory Protection:NONE USUALLY.

Ventilation:USE MECHANICAL , OR NORMAL AIR CIRCULATION IS SUFFICIENT

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:AS REQUIRED FOR TASK & HAND.

Supplemental Safety and Health

PART B OF A 4-PART KIT. KEY1:C3.

## Chemical Properties

HCC:B3

Boiling Pt:B.P. Text:>212F/100C  
Vapor Pres:18  
Spec Gravity:1.1  
pH:5  
Solubility in Water:COMPLETE  
Appearance and Odor:CLEAR,LIGHT THIN SOLUTION, SLIGHT ACETIC ACID ODOR

## Stability

Stability Indicator/Materials to Avoid:YES  
MINERAL ACIDS, STRONG CAUSTICS, PEROXIDES.  
Stability Condition to Avoid:NONE STATED.  
Hazardous Decomposition Products:OXIDES OF SULFUR.

## Disposal

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL SUBJECT TO  
FEDERAL STATE OR LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.