

FLEXADUX R-2/3

MSDS Number

BHBCT

National Stock Number

4720-01-096-4791

Product Name

FLEXADUX R-2/3

Manufacturer

FLEXAUST COMPANY

Product Identification

Product ID:FLEXADUX R-2/3

MSDS Date:01/01/1987

FSC:4720

NIIN:01-096-4791

MSDS Number: BHBCT

Responsible Party

FLEXAUST COMPANY

11 CHESTNUT STREET

AMESBURY , MA 01913

Emergency Phone: (508) 388-9700

Info Phone: (508) 388-9700

Cage: FO400

Contractor

FLEXAUST COMPANY

AMESBURY, MA 01913

US

(508) 388-9700

Cage: FO400

Ingredients

CHLOROETHYLENE POLYMER, PVC, POLYVINYLCHLORIDE

CAS: 9002-86-2

RTECS: KV0350000

Fraction By Weight: >95%

LEAD BASED STABILIZER/PIGMENT

Fraction By Weight:

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Explanation of Carcinogenicity:NONE

Fire Fighting

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CO2, PROTEIN TYPE FOAMS.

Fire Fighting Procedures:NONE NEEDED, WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

Handling

Handling and Storage Precautions:STORE AT AMBIENT TEMPERATURES. USE SAFE HANDLING PROCEDURES.

Exposure Controls

Respiratory Protection:NONE

Ventilation:NONE

Protective Gloves:NONE

Eye Protection:NONE

Supplemental Safety and Health

CAN NOT BE ABSORBED INTO THE BODY THRU THE SKIN.

Chemical Properties

Solubility in Water:INSOLUBLE

Appearance and Odor:SEMI GLOSS APPEARANCE, SLIGHT PLASTICIZER ODOR

Stability

Stability Indicator/Materials to Avoid:YES

ACETAL PLASTICS

Hazardous Decomposition Products:CO, CO2, HCL, AROMATIC & ALIPLATIC HYDROCARBONS IN SMALL AMOUNTS.

Disposal

Waste Disposal Methods:INCINERATE/PROPER LANDFILL IN ACCORDANCE W/REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.