https://msdsreport.com/msds/BHBFD

A-101 PRIMER

MSDS Number

BHBFD

National Stock Number

8040-01-250-0289

Product Name

A-101 PRIMER

Manufacturer

ACCUMETRIC INC

Product Identification

Product ID:A-101 PRIMER MSDS Date:12/05/1985 FSC:8040 NIIN:01-250-0289 MSDS Number: BHBFD

Responsible Party

ACCUMETRIC, INC.

350 RING ROAD

ELIZABETHTOWN, KY 42701

Emergency Phone: (502) 769-3385

Info Phone: (502) 769-3385

Preparer: DEBBIE DUNN

Cage: 58149

Contractor

ACCUMETRIC INC

843

ELIZABETHTOWN, KY 42701

US

502-769-3385

Cage: 58149

Ingredients

ISOPROPYL ALCOHOL (SARA III) CAS: 67-63-0 RTECS: NT8050000 Fraction By Weight: 75% OSHA PEL400 PPM/500 STEL ACGIH TLV: 400 PPM/500STEL;9192

DIBUTYLTINDILAURATE

Fraction By Weight: 25%

ACGIH TLV: 0.1 MG/M

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO



Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SKIN/EYES: BURNS. INHALATION: VAPOR MAY CAUSE IRRITATION TO EYES, NOSE, & THROAT & ALSO CAUSES DIZZINESS, HEADACHES, NAUSEA, ETC. Explanation of Carcinogenicity:NONE Effects of Overexposure:SKIN/EYES: BURNS. INHALATION: IRRITATION TO EYES, NOSE, & THROAT & ALSO CAUSES DIZZINESS, HEADACHES, NAUSEA, ETC.

•

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR & OBTAIN MED ATT. SKIN/EYES: FLUSH W/WATER.

Fire Fighting

Flash Point Method:CC Flash Point:53F Lower Limits:2.3% Upper Limits:12.7% Extinguishing Media:CO2, FOAM Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures: MOP, WIPE/SOAK UP W/ABSORBENT MATERIAL PROVIDING PROPER PROTECTIVE EQUIPMENT.

Handling

Handling and Storage Precautions: SAME AS FOR ANY FLAMMABLE PRODUCT. AVOID SKIN & EYE CONTACT. Other Precautions: NONE

Exposure Controls

Respiratory Protection:ORGANIC-VAPOR TYPE RESPIRATOR. Ventilation:MECHANICAL: RECOMMENDED Protective Gloves:RUBBER Eye Protection:GOGGLES Other Protective Equipment:AS REQUIRED BY YOUR COMPANY. Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:180F Vapor Pres:40 Vapor Density:>1 Spec Gravity:.85 Evaporation Rate & Reference:(ETHER = 1): Solubility in Water:>50 Appearance and Odor:BLUE LIQUID W/SHARP ODOR. Percent Volatiles by Volume:>70%

Stability

Stability Indicator/Materials to Avoid:YES OXIDIZING AGENTS Hazardous Decomposition Products:TIN PRODUCTS, CO2, & TRACES OF INCOMPLETELY BURNED CARBON PRODUCTS.

Disposal

Waste Disposal Methods:CAN BE BURNED IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.



- - - - -

https://msdsreport.com/msds/BHBFD

- - - - -

- - -

- - - -