

## **MAGNALUBE-G GREASES**

### **MSDS Number**

BHBTQ

### **National Stock Number**

9150-00-823-8047

### **Product Name**

MAGNALUBE-G GREASES

### **Manufacturer**

CARLETON STUART CORP

### **Product Identification**

Product ID:MAGNALUBE-G GREASES

MSDS Date:06/01/1990

FSC:9150

NIIN:00-823-8047

MSDS Number: BHBTQ

### **Responsible Party**

CARLETON-STUART CORPORATION

13-02 44TH AVENUE

LONG ISLAND CITY , NY 11101-6990

US

Emergency Phone: 718-482-4488/718-482-4431

Info Phone: 718-482-4433

Preparer: KERBY SAUNDERS

Cage: 60111

### **Contractor**

CARLETON-STUART CORPORATION

LONG ISLAND CITY, NY 11101-6990

US

718-482-4488/718-482-4431

Cage: 60111

### **Ingredients**

HYDROFINISHED,SOLVENT REFINED PARAFFINIC PETROLEUM OIL

ORGANIC POLYUREA THICKENER.

TEFLON (TETRAFLUORO ETHYLENE POLYMER)

CAS: 116-14-3

RTECS: KX4025000

### **Hazards**

LD50 LC50 Mixture:LD50 (ORAL RAT) IS > 10,000 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE- EYE/SKIN: NO SIGNIFICANT  
IRRITATION EXPECTED. INHALATION: NONE EXPECTED UNDER NORMAL

CONDITIONS OF USE. INGESTION: EXPECTED TO BE RELATIVELY NON-TOXIC.  
CHRONIC- NONE KNOWN.  
Effects of Overexposure:NO SIGNIFICANT IRRITATION EXPECTED.  
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN  
DISORDERS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THE SUBSTANCE.

## First Aid

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN: WASH WITH SOAP & WATER. INGESTION: IF A LARGE AMOUNT IS SWALLOWED, INDUCE VOMITING AND GET MEDICAL ATTENTION.

## Fire Fighting

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS IN + PRESSURE MODE. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:CARBON MONOXIDE AND CARBON DIOXIDE

## Accidental Release

Spill Release Procedures:CONTAIN AND REMOVE BY MECHANICAL MEANS.

## Handling

Handling and Storage Precautions:STORAGE-STORE IN COOL, DRY VENTILATED PLACE AWAY FROM HEAT, FLAME & STRONG OXIDANTS.

Other Precautions:WASH HANDS WITH SOAP AND WATER BEFORE EATING, DRINKING OR USING TOILET FACILITIES. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.

## Exposure Controls

Respiratory Protection:NON REQUIRED UNDER NORMAL CONDITIONS. IF HIGH VAPOR OR MIST CONCENTRATIONS EXPECTED, USE NIOSH-APPROVED RESPIRATOR FOR ORGANIC VAPORS AND MISTS.

Ventilation:MECHANICAL VENTILATION. (EXPLOSION-PROOF)

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL SPLASH GOGGLES/SAFETY GOGGLES

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

## Chemical Properties

HCC:V6

Solubility in Water:NEGLIGIBLE

Appearance and Odor:SMOOTH TEXTURED GREASE; GREEN COLOR; SLIGHT ODOR

## Stability

Stability Indicator/Materials to Avoid:YES

NONE IDENTIFIED

Stability Condition to Avoid:HEAT, OPEN FLAMES

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND OTHER HARMFUL COMPOUNDS

## Disposal

Waste Disposal Methods:DISPOSE OF IN COMPLIANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS. RCRA EMERGENCY NUMBER: 800-424-9346.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.