SED-FIX CONCENTRATE SPRAYFIX (CYTOLOGY)

MSDS Number

BHBWF

National Stock Number

6550-00N009020

Product Name

SED-FIX CONCENTRATE SPRAYFIX (CYTOLOGY)

Manufacturer

SURGIPATH MEDICAL INDUSTRIES INC

Product Identification

Product ID:SED-FIX CONCENTRATE SPRAYFIX (CYTOLOGY)

MSDS Date:03/01/1986

FSC:6550

NIIN:00N009020

MSDS Number: BHBWF

Responsible Party

SURGIPATH MEDICAL INDUSTRIES, INC.

310 ZIELER DRIVE

GRAYSLAKE, IL 60030

Emergency Phone: 1-800-323-5551 OR 1-312-223-1717

Info Phone: 1-800-323-5551 OR 1-312-223-1717

Preparer: KEN URBAN

Cage: 45009

Contractor

SURGIPATH MEDICAL INDUSTRIES, INC.

GRAYSLAKE, IL 60030

1-800-323-5551 OR 1-312-223-17

Cage: 45009

Ingredients

ETHYL ALCOHOL (ETHANOL)

CAS: 64-17-5

RTECS: KQ6300000

OSHA PEL1000 PPM

ACGIH TLV: 1000 PPM; 9192

POLYTHYLENE GLYCOL.

CAS: 25322-68-3

RTECS: TQ3500000

OSHA PELN/K

ACGIH TLV: N/K

Hazards

LD50 LC50 Mixture:N/K

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO



Health Hazards Acute and Chronic: SEE SIGNS AND SYMPTOMS. Explanation of Carcinogenicity: ETHANOL, 95%: CARBON IN HUMANS NOT DETERMINED AND LIMITED NEGATIVE EVIDENCE IN ANIMALS (GENE-TOX 1987).

Effects of Overexposure: EYES: IRRITATION. SKIN: N/K . INGESTION AND INHALATION: OVEREXPOSURE MAY RESULT IN IRRITATION TO NOSE AND THROAT.HEADACHE, CHRONIC: LOSS OF APPETITE, INABILITY TO CONCENTRATE.

First Aid

First Aid: EYES: FLUSH WITH WATER FOR AT LEAST 15 MIN. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.SKIN: WASH THOROUGHLY WITH SOAP & WATER.RINSE.INGESTION:INDUCE VOMITING.GIVE TWO GLASSES OF WATER.GET MEDICAL ATTE NTION.INHALATION: IF BREATHING IS AFFECTED REMOVE VICTIM TO FRESH AIR AND PROVIDE O*2 IF NECESSARY.GET MEDICAL ATTENTION.

Fire Fighting

Flash Point: 59F, 15C Lower Limits: 3.3 Upper Limits: 19.0

Extinguishing Media: ALCOHOL FOAM. CO*2, DRY CHEMICALS.

Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .COOL EXPOSED CONTAINERS WITH WATER.

Unusual Fire/Explosion Hazard: HANDLE AS A FLAMMABLE LIQUID. INCOMPLETE COMBUSTION PRODUCES CO AS THE HAZARDOUS DECOMPOSITION PRODUCT.

Accidental Release

Spill Release Procedures: ELIMINATE ALL IGNITION SOURCES. WEAR APPROVED RESPIRATOR. DIKE AND REMOVE LIQUID IN APPROVED SALVAGE CONTAINER. Neutralizing Agent: N/K

Handling

Handling and Storage Precautions: STORE AT ROOM TEMPERATURE (70F,21.1C) AWAY FROM HEAT, SPARKS, OPEN FLAME. Other Precautions: N/K

Exposure Controls

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN.

Ventilation: LOCAL AND GENERAL VENTILATION NECESSARY TO KEEP AIR

CONCENTRATION BELOW TLV

Protective Gloves: PLASTIC OR RUBBER.

Eye Protection: CHEMICAL WORKERS GOGGLES Other Protective Equipment: EYE BATH, SAFETY SHOWER.

Work Hygienic Practices: N/K

Supplemental Safety and Health

VAPOR PRESSURE: APPROX 44 MMHG @ 68F.20C.BOILING

POINT:169-180F,76-82C.VAPOR DENSITY:APPROX 1.5 (AIR=1).EVAPORATION

RATE: OPPROX 1.4 (BUTYL ACETATE=1).REACTIVITY IN WATER: NON-REACTIVE. AUTOIGNITION TEMP: 685F, 363C.

Chemical Properties

Boiling Pt:B.P. Text:SEE SUPP Melt/Freeze Pt:M.P/F.P Text:N/K Decomp Temp: Decomp Text: N/K Vapor Pres:SEE SUPP

Vapor Density: SEE SUPP

Evaporation Rate & Reference: 1.4 (BUTYLACETATE=1)

Solubility in Water: COMPLETE

Appearance and Odor: CLEAR, COLORLESS LIQUID, ALCOHOL ODOR.

Percent Volatiles by Volume: 100

Stability

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid: HEAT, SPARKS, OPEN FLAME

Hazardous Decomposition Products: CO FROM INCOMPLETE COMBUSTION.



Conditions to Avoid Polymerization: HEAT, SPARKS, OPEN FLAME.

Disposal

Waste Disposal Methods: DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.