

## **SDA 3A ANHYDROUS 200 PROOF**

### **MSDS Number**

BHBYC

### **National Stock Number**

6810-00-201-0904

### **Product Name**

SDA 3A ANHYDROUS 200 PROOF

### **Manufacturer**

QUANTUM CHEMICAL CORP USI DIV

### **Product Identification**

Product ID:SDA 3A ANHYDROUS 200 PROOF

MSDS Date:02/28/1989

FSC:6810

NIIN:00-201-0904

MSDS Number: BHBYC

### **Responsible Party**

QUANTUM CHEMICAL CORPORATION USI DIVISION

11500 NORTHLAKE DRIVE

CINCINNATI , OH 45249

US

Emergency Phone: 713-479-2873

Info Phone: 513-530-6917

Cage: 78918

### **Contractor**

QUANTUM CHEMICAL CORPORATION USI DIVISION

429550

CINCINNATI, OH 45249

US

713-479-2873/800-424-9300(CHEMTREC)

Cage: 78918

### **Ingredients**

ETHYL ALCOHOL (ETHANOL)

CAS: 64-17-5

RTECS: RQ6300000

Fraction By Weight: 95.2%

OSHA PEL1000 PPM

ACGIH TLV: 1000 PPM; 8990

METHYL ALCOHOL (METHANOL) (SARA III)

CAS: 67-56-1

RTECS: PC1400000

Fraction By Weight: 4.8%

OSHA PELS,200PPM/250STEL

ACGIH TLV: S,200PPM/250STEL; 93

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

BENZENE (SARA III)

CAS: 71-43-2

RTECS: CY1400000

Fraction By Weight:

OSHA PEL1PPM/5STEL;1910.1028

ACGIH TLV: 10 PPM; A2; 9192

EPA Report Quantity: 10 LBS

DOT Report Quantity: 10 LBS

## Hazards

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 7060 MG/KG (ETHANOL)

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION:MAY CAUSE HEADACHE, DROWINESS & LASSITUDE, LOSS OF APPETITE & INABILITY TO CONCENTRATE. IRRITATION OF THE THROAT. INGESTION:CAN CAUSE DEPRESSION OF CNS, NAUSEA, VOMITING & DIARRHEA. EYE:LIQUID OR VAPOR MAY CAUSE IRRITATION. SKIN:MAY CAUSE IRRITATION AND DEFATTING OF SKIN ON PROLONGED CONTACT.

Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

Effects of Overexposure:MAY CAUSE EYE, SKIN & RESPIRATORY TRACT IRRITATION. INDIVIDUAL RESPONSES TO METHYL ALCOHOL VARY. INGESTION OF LESS THAN 30 ML HAS BEEN FATAL TO HUMANS. IN GENERAL, A FEW OUNCES MAY CAUSE BLINDNESS AND DEATH; AS LITTLE AS 4 ML MAY BE TOXIC IF INGESTED. MAY CAUSE HEADACHE, DROWINESS, CNS DEPRESSION, NAUSEA, & DIARRHEA.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING DISEASE INVOLVING THE SKIN, EYE, RESPIRATORY TRACT, LIVER OR KIDNEY MAY BE AT INCREASED RISK FROM EXPOSURE.

## First Aid

First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING. GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHIN G. FLUSH WITH WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE VOMITING UNLESS INSTRUCTED TO DO SO. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

## Fire Fighting

Flash Point Method:TCC

Flash Point:≈12.8C, 55.F

Lower Limits:3.3

Upper Limits:19

Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:TOXIC FUMES MAY BE GENERATED IN HEAT OF FIRE.

## Accidental Release

Spill Release Procedures:WEAR APPROPRIATE RESPIRATORY PROTECTION AND PROTECTIVE CLOTHING. CONTAIN SPILLED MATERIAL. TRANSFER TO SECURE

CONTAINERS. WHERE NECESSARY, COLLECT USING ABSORBENT MEDIA.  
ELIMINATE ANY SOURCE OF IGNITION. VENTILATE AREA. WASH RESIDUE  
WITH WATER.

Neutralizing Agent: NOT APPLICABLE.

## Handling

Handling and Storage Precautions: STORE IN A FLAMMABLE LIQUID STORAGE  
ROOM OR CABINET. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE.  
PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions: MAKE FREQUENT CAREFUL LEAKAGE INSPECTIONS. ISOLATE  
FROM OXIDIZERS, CHEMICALS CAPABLE OF SPONTANEOUS HEATING, MATERIALS  
REACTING WITH AIR OR MOISTURE TO LIBERATE HEAT, IGNITION SOURCES  
AND EXPLOSIVES. KEEP OUT OF DIRECT SUN & AWAY FROM HEAT.

## Exposure Controls

Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION  
EXPOSURES BELOW PEL(TLV), USE NIOSH/MSHA APPROVED RESPIRATORS.  
RESPIRATORS SHOULD BE SELECTED BASED ON THE FORM AND CONCENTRATION  
OF CONTAMINANT IN AIR & IN ACCORDANCE WITH OSHA (29 CFR 1910.134).

Ventilation: MECHANICAL (GENERAL) ROOM VENTILATION IS NORMALLY ADEQUATE.  
LOCAL EXHAUST MAY BE REQUIRED IF WORK AREA NOT VENTED.

Protective Gloves: NEOPRENE, NITRILE, VPC OR NATURAL RUBBER

Eye Protection: SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR  
FOOTWEAR.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO

NOT BREATHE VAPORS OR MISTS. CAUTION: FOR MANUFACTURING,

PROCESSING, REPACKING OR INDUSTRIAL USE. NOT FOR HOUSEHOLD USE.

CONTAINER HAZARDOUS WHEN EMPTY. EMPTIED CONTAINERS RETAIN RESIDUAL

LIQUID AND VAPOR. FOLLOW PRECAUTIONS ON LABEL AND IN MSDS.

## Chemical Properties

HCC: F5

NRC/State Lic Num: NOT RELEVANT

Boiling Pt: =78.3C, 173.F

Melt/Freeze Pt: =-113.7C, -173.F

Vapor Pres: 44.6

Vapor Density: 1.59

Spec Gravity: 0.7938

Evaporation Rate & Reference: 1.4 (N-BUTYL ACETATE=1)

Solubility in Water: COMPLETE

Appearance and Odor: CLEAR, COLORLESS LIQUID.

## Stability

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS, ACETYL CHLORIDE.

Stability Condition to Avoid: HIGH TEMPERATURES, SPARKS, OPEN FLAMES

Hazardous Decomposition Products: CARBON MONOXIDE CAN FORM ON INCOMPLETE  
COMBUSTION.

## Disposal

Waste Disposal Methods: ALL RECOVERED MATERIAL SHOULD BE PACKAGED,  
LABELED, TRANSPORTED, AND DISPOSED OR RECLAIMED IN ACCORDANCE WITH  
ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS AND IN  
CONFORMANCE WITH GOOD ENGINEERING PRACTICES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their

particular situation.