

MA 3800 + 3802 EPOXY ADHESIVE PREPREG

MSDS Number

BHBZL

National Stock Number

8040-00N010580

Product Name

MA 3800 + 3802 EPOXY ADHESIVE PREPREG

Manufacturer

MCCANN MANUFACTURING

Product Identification

Product ID:MA 3800 + 3802 EPOXY ADHESIVE PREPREG MSDS Date:03/01/1988

FSC:8040

NIIN:00N010580 MSDS Number: BHBZL

Responsible Party

MCCANN MANUFACTURING.

ROUTE 14 A

ONECO, CT 06373

Emergency Phone: 203-564-4046

Info Phone: 203-564-4046

Cage: 5X358

Contractor

MCCANN MANUFACTURING

ONECO, CT 06373

US

203-564-4046

Cage: 5X358

Ingredients

DGEBA EPOXY RESINS

CAS: 25068-38-6

RTECS: SL6475000

Fraction By Weight: Fraction by Wt

OSHA PELN/K

ACGIH TLV: N/K

DGEBA BROMINATED EPOXY RESIN

CAS: 40039-93-8

Fraction By Weight: Fraction by Wt

OSHA PELN/K ACGIH TLV: N/K



CAS: 68891-50-9

Fraction By Weight: Fraction by Wt

OSHA PELN/K ACGIH TLV: N/K

CYANOGUANIDINE.

CAS: 461-58-5

RTECS: ME9950000

Fraction By Weight: Fraction by Wt

OSHA PELN/K ACGIH TLV: N/K

ANTIMONY TRIOXIDE (SARA III)

CAS: 1309-64-4

RTECS: CC5650000

Fraction By Weight: Fraction by Wt

OSHA PELO.5 MG/M3 (SB)

ACGIH TLV: 0.5 MG SB/M3; 9192 EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

DIMETHYLAMINO METHYL = PHENOL.

CAS: 25338-55-0

Fraction By Weight: Fraction by Wt

OSHA PELN/K ACGIH TLV: N/K

1-CYANOETHYL 2-ETHYL 4-METHYL IMDAZOLE

CAS: 23996-25-0

Fraction By Weight: Fraction by Wt

OSHA PELN/K ACGIH TLV: N/K

Hazards

LD50 LC50 Mixture:N/K

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: POSSIBLE MINOR SKIN IRRITATION

RESULTING FROM EXCESSIVE CONTACT WITH ADHESIVE.

Explanation of Carcinogenicity:N/A

Effects of Overexposure: POSSIBLE ITCHING & REDNESS OF HANDS. Medical Cond Aggravated by Exposure: SENSITIVE SKIN, ALLERGIES.

First Aid

First Aid:INHALATION:N/A, EYES;FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES & GET MEDICAL ATTENTION. SKIN:WASH SKIN WITH SOAP & WATER, REMOVE CONTAMINATED CLOTHING & WASH. INGESTION:NOT A PROBABLE ROUTE OF ENT RY.



Fire Fighting

Flash Point Method:CC Flash Point:>200F (>93C) Lower Limits:NOT DETERMIN Upper Limits:NOT DETERMIN

Extinguishing Media: FOAM CO:2, DRY CHEMICAL

Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE

EOUIPMENT.

Unusual Fire/Explosion Hazard: NONE

Accidental Release

Spill Release Procedures: N/A- FILM ADHESIVE.

Neutralizing Agent:N/K

Handling

Handling and Storage Precautions: STORE AT 0F (-18C) FOR LONG SHELF

LIFE.

Other Precautions: N/K

Exposure Controls

Respiratory Protection: N/A - SOLID FILM

Ventilation: SUGGESTED MECHANICAL (GENERAL) IS OK.

Protective Gloves: COTTON, RUBBER. Eye Protection: NONE NECESSARY.

Other Protective Equipment: CLEAN LONG SLEEVE &LONG LEG CLOTHING. Work Hygienic Practices: NORMAL GOOD INDUSTRIAL HOUSE KEEPING.

Supplemental Safety and Health

N/A:NOT APPLICABLE. PCT VOLT-VOL & PH.

Chemical Properties

Boiling Pt:B.P. Text:DECOMPOSES

Melt/Freeze Pt:M.P/F.P Text:>140F(>60C)

Decomp Temp: Decomp Text: N/K

Vapor Pres:N/A-SOLID Spec Gravity:1.2

Evaporation Rate & Reference:N/K Solubility in Water:NEGLIGIBLE

Appearance and Odor: CREAM COLORED FILM ON GLASS CARRIER.

Corrosion Rate:

Stability

Stability Indicator/Materials to Avoid:YES

N/K

Stability Condition to Avoid: N/K

Hazardous Decomposition Products: OXIDES OF CARBON & NITROGEN,

ALDEHYDES, & OTHER ORGANICS.

Disposal

Waste Disposal Methods: DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REGULATIONS. BURY IN AN APPROVED LANDFILL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.