

CAMOUFLAGE BROWN TEMPORARY COATING WA-6265

MSDS Number

BHCDY

National Stock Number

8010-00N010733

Product Name

CAMOUFLAGE BROWN TEMPORARY COATING WA-6265

Manufacturer

POTTER PAINT CO INC

Product Identification

Product ID:CAMOUFLAGE BROWN TEMPORARY COATING WA-6265

MSDS Date:08/29/1988

FSC:8010

NIIN:00N010733

MSDS Number: BHCDY

Responsible Party

POTTER PAINT CO.,INC.

COPTLAND , NY 13045

Emergency Phone: 607-749-4706;607-749-4937

Info Phone: 607-753-6754

Cage: 18329

Contractor

POTTER PAINT CO., INC.

CORTLAND, NY 13045

607-753-7654

Cage: 18329

Ingredients

ISOPROPYL ALCOHOL (SARA III)

CAS: 67-63-0

RTECS: NT8050000

Fraction By Weight: 3.5%

OSHA PEL400 PPM/500 STEL

ACGIH TLV: 400 PPM/500STEL;9192

2-BUTOXYETHANOL

CAS: 111-76-2

RTECS: KJ8575000

Fraction By Weight: 0.8%

OSHA PELS, 50 PPM

ACGIH TLV: S, 25 PPM; 9293

AMMONIA (SARA III)

CAS: 7664-41-7

RTECS: BO0875000

Fraction By Weight: 0.4%

OSHA PEL50 PPM

ACGIH TLV: 25 PPM/35 STEL; 9293

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

Hazards

LD50 LC50 Mixture:

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NIOSH STUDIES INDICATE ETHYLENE GLYCOL MONOBUTYL ETHER CAUSED REPRODUCTIVE DISORDERS IN LABORATORY ANIMALS(RATS OR MICE) SIMILAR DISORDERS IN HUMANS

Effects of Overexposure:IRRITANT TO EYES AND POSSIBLY, SKIN, MAY CAUSE NAUSEA & HEADACHE IN POORLY VENTILATED AREAS.

Medical Cond Aggravated by Exposure:NONE

First Aid

First Aid:EYES:FLUSH WITH PLENTY OF POTABLE WATER FOR AT LEAST 15 MINUTES,THEN OBTAIN PROMPT MEDICAL ATTENTIONSKIN:IMMEDIATELY FLUSH SKIN COPIOUSLY WITH WATER,REMOVE SOAKED CLOTHING,WASH WITH SOAP & WATER .INGEST:DRINK 2 GLASSES OF WATER,CALL DOCTOR,INHAL:REMOVE TO FRESH AIR.SUPPORT BREATHING (GIVE O*2/ARTIFICIAL RESPIRATION

Fire Fighting

Flash Point:

Lower Limits:1.1

Upper Limits:

Extinguishing Media:FOAM,ALCOHOL FOAM,CO*2, DRY CHEMICAL,WATER FOG.

Fire Fighting Procedures:NONE(MFR).USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT

Unusual Fire/Explosion Hazard:NONE(MFR)

Accidental Release

Spill Release Procedures:HOSE OFF WITH WATER.

Neutralizing Agent:

Handling

Handling and Storage Precautions:AVOID PROLONGED BREATHING OF VAPOR.

Other Precautions:DO NOT TAKE INTERNALLY.AVOID PROLONGED CONTACT WITH SKIN,ETC.KEEP CLOSURE TIGHT & CONTAINERS UPRIGHT TO PREVENT LEAKAGE.NEVER USE PRESSURE TO EMPTY,DRUMS ARE NOT A PRESSURE VESSEL.DO NOT PUNCTURE,DRAG OR SLIDE CONTAINER.DO NOT (SUUP DATA).

Exposure Controls

Respiratory Protection:WEAR MASKS(MFR).NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OFM CONCERN

Ventilation:USE WITH ADEQUATE VENTILATION.

Protective Gloves:NEOPRENE OR PVC.

Eye Protection:CHEMICAL WORKERS GOGGLES.

Other Protective Equipment:NONE.

Work Hygienic Practices:WASH HANDS BEFORE EATING OR USING WASH ROOM.

Supplemental Safety and Health

WT/GAL:8.83 LB.OTHER PRECAUTIONS:GET IN EYES,AVOID SKIN CONTACT.PREVENT PROLONGED OR REPEATED BREATHING OF VAPOR-OR SPRAY MIST.DO NOT WELD OR FLAME CUT AN EMPTY DRUM.

Chemical Properties

Boiling Pt:B.P. Text:181-340 F

Melt/Freeze Pt:M.P/F.P Text:

Decomp Temp:Decomp Text:

Vapor Pres:

Vapor Density:HEAV.AIR
Spec Gravity:1.061
pH:
Evaporation Rate & Reference:SLOWER THAN ETHER.
Appearance and Odor:
Percent Volatiles by Volume:10.3
Corrosion Rate:

Stability

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:DECOMP UUNDER THERMAL CONDITIONS TO
ASHES NO BY-PRODUCTS(MFR).DECOMP CARBON MONOXIDE,TOXIC
VAPOR,GASES,NO*X
Conditions to Avoid Polymerization:WILL NOT OCCUR.

Disposal

Waste Disposal Methods:DISPOSAL DONE IN ACCORDANCE W? FEDERAL,STATE &
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.