# **CAMOUFLAGE GREEN TEMPORARY COATING WA-6264.**

# **MSDS Number**

BHCDZ

# **National Stock Number**

8010-00N010734

## **Product Name**

CAMOUFLAGE GREEN TEMPORARY COATING WA-6264.

#### Manufacturer

POTTER PAINT CO INC

# **Product Identification**

Product ID: CAMOUFLAGE GREEN TEMPORARY COATING WA-6264.

MSDS Date: 08/25/1988

FSC:8010

NIIN:00N010734

MSDS Number: BHCDZ

# **Responsible Party**

POTTER PAINT CO., INC.

CORTLAND, NY 13045

Emergency Phone: 607-749-4706;607-749-4937

Info Phone: 607-753-7645.

Cage: 18329

# **Contractor**

POTTER PAINT CO., INC.

CORTLAND, NY 13045

607-753-7654

Cage: 18329

# **Ingredients**

2-BUTOXYETHANOL

CAS: 111-76-2

RTECS: KJ8575000

Fraction By Weight: 0.8%

OSHA PELS, 50 PPM

ACGIH TLV: S, 25 PPM; 9293

AMMONIA (SARA III)

CAS: 7664-41-7

RTECS: BO0875000

Fraction By Weight: 0.3%

OSHA PEL50 PPM

ACGIH TLV: 25 PPM/35 STEL; 9293

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS



ISOPROPYL ALCOHOL (SARA III)

CAS: 67-63-0

RTECS: NT8050000

Fraction By Weight: 3.5% OSHA PEL400 PPM/500 STEL

ACGIH TLV: 400 PPM/500STEL;9192

#### **Hazards**

LD50 LC50 Mixture:

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NIOSH STUDIES INDICATE ETHYLENE GLYCOL MONOBUTYL ETHER HAS CAUSED REPRODUCTIVE DISORDERS IN LABORATORY ANIMALS (RATS OR MICE) & MAY HAVE THE POTENTIAL FOR CAUSING SIMILAR DISORDERS IN HUMANS .

Explanation of Carcinogenicity: N/A FPN

Effects of Overexposure: IRRITATING TO EYES AND POSSIBLY SKIN, MAY CAUSE

NAUSEA AND HEADACHE IN POORLY VENTILATED AREAS.

Medical Cond Aggravated by Exposure: NONE

#### First Aid

First Aid:EYES;FLUSH WITH PLENTY OF POTABLE WATER FOR AT LEAST 15 MINUTES,THEN OBTAIN PROMPT MEDICAL ATTENTIONSKIN:IMMEDIATELY FLUSH SKIN COPIOUSLY WITH WATER,REMOVE SOAKED CLOTHING,WASH WITH SOAP AND WAT ER,INGEST:DRINK 2 GLASSES OF WATER,CALLDOCTOR,INHAL;REMOVE TO FRESH AIR SUPPORT BREATHING (GIVE O\*2/ARTIFICIAL RESPIRATION)

# **Fire Fighting**

Flash Point: Lower Limits:1.1 Upper Limits:

Extinguishing Media: FOAM, ALCOHOL FOAM, CO\*2, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures: NONE (MF). USE NIOSH/MSHA APPROVED SCBA AND

FULL PROTECTIVE EQUIPMENT

Unusual Fire/Explosion Hazard: NONE (MFR)

#### **Accidental Release**

Spill Release Procedures: HOSE OFF WITH WATER. Neutralizing Agent:

#### Handling

Handling and Storage Precautions: AVOID PROLONGED BREATHING OF VAPOR. Other Precautions: DO NOT TAKE INTERNALLY. AVOID PROLONGED CONTACT W/SKIN, ETC. KEEP CLOSURE TIGHT AND CONTAINERS UPRUGHT TO PREVENT LEAKAGE. NEVER USE PRESSURE VESSEL. DO NOT PUNCTURE DRAG OR SLIDE CONTAINER. DO NOT (SUP D ATA).

### **Exposure Controls**

 $Respiratory\ Protection: WEAR\ MASKS (MFR). NIOSH/MSHA\ APPROVED\ RESPIRATOR$ 

APPROPRIATE FOR EXPOSURE OF CONCERN Ventilation: USE W/ ADEQUATE VENTILATION. Protective Gloves: NEOPRENE OR PVC GLOVES. Eye Protection: CHEMICAL WORKERS GOGGLES

Other Protective Equipment: NONE.

Work Hygienic Practices: WASH HANDS BEFORE EATING OR USING WASH ROOM.

Supplemental Safety and Health

WT/GAL:9.46LB.OTHER PRECAUTIONS:GET IN EYES,AVOID SKIN CONTACT,PREVENT PROLONGED OR REPEATED BREATHING OF VAPOR-OR SPRAY MIST.DO NOT WELD OR FLAME CUT AN EMPTY DRUM.

# **Chemical Properties**

Boiling Pt:B.P. Text:340F;171.C Melt/Freeze Pt:M.P/F.P Text:



Decomp Temp: Decomp Text:

Vapor Pres:

Vapor Density:HEAV.AIR Spec Gravity:1.137

pH:

Evaporation Rate & Reference: SLOWER THAN ETHER

Solubility in Water: Appearance and Odor:

Percent Volatiles by Volume: 1.9

Corrosion Rate:

# **Stability**

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:DECOMP UNDER THERMAL CONDTN TO
ASHES,NO BY PRODUCTIVE(MFR).DECOMP PROD,CARBON MOOXIDE,TOXIC VAPORS
& GASES,NO\*X

 ${\bf Conditions} \ {\bf to} \ {\bf Avoid} \ {\bf Polymerization: WILL} \ {\bf NOT} \ {\bf OCCUR}.$ 

## Disposal

Waste Disposal Methods: DISPOSAL DONE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.