

## **VV-L-751D WIRE ROPE AND CHAIM LUBE**

### **MSDS Number**

BHCFT

### **National Stock Number**

9150-00-261-7891

### **Product Name**

VV-L-751D WIRE ROPE AND CHAIM LUBE

### **Manufacturer**

SULFLO INC

### **Product Identification**

Product ID:VV-L-751D WIRE ROPE AND CHAIM LUBE

MSDS Date:09/01/1989

FSC:9150

NIIN:00-261-7891

MSDS Number: BHCFT

### **Responsible Party**

SULFLO INC.

1158 ERIE AVE.

NORTH TONAWANDA , NY 14120-3507

US

Emergency Phone: 716-695-3585

Info Phone: 716-695-3585

Preparer: THOMAS G. MUSILLI

Cage: JO986

### **Contractor**

SULFLO INC.

285

NORTH TONAWANDA, NY 14120-3507

US

716-695-3585

Cage: JO986

### **Ingredients**

MINERAL OIL

CAS: 64742-65-0

RTECS: PY8038500

Fraction By Weight: 84.0%

OSHA PEL5 MG/M3 OIL MIST

ACGIH TLV: 5 MG/M3 OIL MIST

MINERAL OIL

CAS: 64742-16-1

Fraction By Weight: 15.0%

OSHA PEL5 MG/M3 OIL MIST

ACGIH TLV: 5 MG/M3 OIL MIST

ORGANIC BARIUM COMPOUND

CAS: 25619-56-1

RTECS: QM4450000

Fraction By Weight: 1.0%

## Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MFR STATES,'THIS PRODUCT HAS BEEN USED FOR YEARS WITH NO KNOWN ILL EFFECTS.' PRODUCT IS VERY MILDLY IRRITATING TO BODY TISSUES. MOST LIKELY HAZARD IS THAT OF BREATHING THE MIST OR VAPORS SHOULD THE PRODUCT BE HEATED OR MISTED.  
Effects of Overexposure:EYE:MILD IRRITATION. SKIN:POSSIBLE MILD IRRITATION. INHALED:RESPIRATORY IRRITATION,POSSIBLE PULMONARY EDEMA IF MIST IS INHALED. INGESTED:NONE REPORTED.  
Medical Cond Aggravated by Exposure:NONE REPORTED

## First Aid

First Aid:EYE:FLUSH WITH WATER 15 MIN. SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP & WATER. LAUNDER CLOTHING BEFORE REUSE. INHALED:REMOVE FROM EXPOSURE. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL C ARE.

## Fire Fighting

Flash Point Method:COC  
Flash Point:430F,221C  
Autoignition Temp:Autoignition Temp Text:400F  
Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER FOG, SAND, OR EARTH.  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.  
Unusual Fire/Explosion Hazard:WATER MAY CAUSE FROTHING.

## Accidental Release

Spill Release Procedures:RECOVER AS LIQUID IF POSSIBLE. ADSORB REMAINDER ON EARTH,SAND,SAWDUST,ETC. STORE INCLOSED CONTAINERS PENDING DISPOSAL.  
Neutralizing Agent:NONE

## Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA.  
Other Precautions:NONE

## Exposure Controls

Respiratory Protection:NONE NORMALLY REQUIRED. USE NIOSH/MSHA RESPIRATOR FOR OIL MIST IF EXPOSED TO MISTING OR HEATED VAPORS.  
Ventilation:NORMAL ROOM VENTILATION SHOULD BE SUFFICIENT. SUPPLEMENT WITH LOCAL EXHAUST IF NEEDED.  
Protective Gloves:OIL RESISTANT  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:AS NEEDED TO PREVENT PROLONGED/REPEATED CONTACT.  
Work Hygienic Practices:USE GOOD INDUSTRIAL HYGIENE PRACTICE. MINIMIZE PERSONAL CONTACT.  
Supplemental Safety and Health  
CODE NO. 60,401-1

## Chemical Properties

HCC:V6  
Boiling Pt:B.P. Text:700F,371C  
Melt/Freeze Pt:M.P/F.P Text:25.0F,-3.9C  
Spec Gravity:0.91  
Solubility in Water:NIL  
Appearance and Odor:DARK VISCOUS OIL, BLAND ODOR  
Percent Volatiles by Volume:O

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS  
Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES  
Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE

## Disposal

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE, LOCAL REGULATIONS.  
MFR SUGGESTS INCINERATE IF UNABLE TO RECYCLE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.