

## **189 0888 KODAK RETOUCHING COLOR, NEUTRAL**

### **MSDS Number**

BHCJQ

### **National Stock Number**

6750-00-245-8619

### **Product Name**

189 0888 KODAK RETOUCHING COLOR, NEUTRAL

### **Manufacturer**

EASTMAN KODAK COMPANY

### **Product Identification**

Product ID:189 0888 KODAK RETOUCHING COLOR, NEUTRAL

MSDS Date:11/01/1995

FSC:6750

NIIN:00-245-8619

MSDS Number: BHCJQ

### **Responsible Party**

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER , NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 800- 242-2424

Cage: 19139

### **Contractor**

EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

ROCHESTER, NY 14650-3129

US

800-828-6203

Cage: 5K871

### **Ingredients**

POLYETHYLENE GLYCOL

CAS: 25322-68-3

RTECS: TQ3500000

Fraction By Weight: 75-80%

ANTHRAQUINONE BLUE

CAS: 4608-80-6

Fraction By Weight: 10-15%

CROCEINE ORANGE

CAS: 1934-20-9

RTECS: QK2430000

Fraction By Weight: 1-5%

AZO RUBINE

CAS: 3567-69-9

RTECS: QK1925000

Fraction By Weight: 1-5%

DYE (YELLOW)

Fraction By Weight: 1-5%

## Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION-EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING. EYES-NO SPECIFIC HAZARD KNOWN. SKIN-LOW HAZARD FOR RECOMMENDED HANDLING. INGESTION-EXPECTED TO BE A LOW INGESTION HAZARD.  
Explanation of Carcinogenicity:NOT CARCINOGENIC.  
Effects of Overexposure:EYES-MAY CAUSES TRANSIENT IRRITATION.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

## First Aid

First Aid:INHALATION-IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSISTS. EYES-ANY MATERIAL THAT CONTACTS THE EYES SHOULD BE WASHED OUT IMMEDIATELY WITH WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN-WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION-DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION.

## Fire Fighting

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, ALCOHOL FOAM.  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY CAUSE HAZARDOUS DECOMPOSITION PRODUCTS.  
Unusual Fire/Explosion Hazard:FIRE OR HIGH TEMPERATURES MAY CAUSE DECOMPOSITION.

## Accidental Release

Spill Release Procedures:SWEEP UP AND PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:KEEP CONTAINER CLOSED.  
Other Precautions:USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. KEEP FROM CONTACT WITH OXIDIZING MATERIALS. KEEP AWAY FROM HEAT.

## Exposure Controls

Respiratory Protection:NONE SHOULD BE NEEDED.  
Ventilation:GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES/HR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS  
Protective Gloves:WEAR IMPERVIOUS GLOVES.  
Eye Protection:WEAR SAFETY GLASSES WITH SIDE SHIELD.  
Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER.  
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.  
Supplemental Safety and Health  
KEEP OUT OF REACH OF CHILDREN.

## Chemical Properties

HCC:N1

Vapor Pres:NEGLIGIBLE  
Spec Gravity:>1.0  
Solubility in Water:APPRECIABLE  
Appearance and Odor:SOLID (WAXY), ODORLESS.  
Percent Volatiles by Volume:NEGLIE

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS.  
Stability Condition to Avoid:STABLE; HOWEVER, MATERIAL CAN DECOMPOSE  
ABOVE 260C. AVOID TEMPERATURES ABOVE 160C.  
Hazardous Decomposition Products:CARBON DIOXIDE, CRABON MONOXIDE,  
OXIDES OF NITROGEN, OXIDES OF SULFUR.

## Disposal

Waste Disposal Methods:DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT  
TO NATIONAL, STATE OR LOCAL LAWS. INCINERATE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.