

189 0888 KODAK RETOUCHING REMOVER

MSDS Number

BHCJR

National Stock Number

6750-00-245-8619

Product Name

189 0888 KODAK RETOUCHING REMOVER

Manufacturer

EASTMAN KODAK COMPANY

Product Identification

Product ID:189 0888 KODAK RETOUCHING REMOVER

MSDS Date:11/01/1995

FSC:6750

NIIN:00-245-8619

MSDS Number: BHCJR

Responsible Party

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER , NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 800- 242-2424

Cage: 19139

Contractor

EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

ROCHESTER, NY 14650-3129

US

800-828-6203

Cage: 5K871

Ingredients

POLYETHYLENE GLYCOL

CAS: 25322-68-3

RTECS: TQ3500000

Fraction By Weight: 90-95%

SODIUM HEXAMETAPHOSPHATE

CAS: 10124-56-8

Fraction By Weight: 5-10%

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INHALATION-EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING. EYES-NO SPECIFIC HAZARD KNOWN. SKIN-LOW HAZARD FOR RECOMMENDED HANDLING. INGESTION-EXPECTED TO BE A LOW INGESTION HAZARD.

Explanation of Carcinogenicity: NOT CARCINOGENIC.

Effects of Overexposure: EYES-MAY CAUSE TRANSIENT IRRITATION.

Medical Condition Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid: INHALATION-IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES-ANY MATERIAL THAT CONTACTS THE EYES SHOULD BE WASHED OUT IMMEDIATELY WITH WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN-WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION-DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION.

Fire Fighting

Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, ALCOHOL FOAM.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY CAUSE HAZARDOUS DECOMPOSITION PRODUCTS.

Unusual Fire/Explosion Hazard: NONE.

Accidental Release

Spill Release Procedures: SWEEP UP AND PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: KEEP CONTAINER CLOSED.

Other Precautions: USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. KEEP FROM CONTACT WITH OXIDIZING MATERIALS.

Exposure Controls

Respiratory Protection: NONE SHOULD BE NEEDED.

Ventilation: GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES/HR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS

Protective Gloves: WEAR IMPERVIOUS GLOVES.

Eye Protection: WEAR SAFETY GLASSES WITH SIDE SHIELD.

Other Protective Equipment: EYE BATH, WASHING FACILITIES, SAFETY SHOWER.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health
KEEP OUT OF REACH OF CHILDREN.

Chemical Properties

HCC: N1

Vapor Pressure: NEGLIGIBLE

Specific Gravity: >1.0

Solubility in Water: APPRECIABLE

Appearance and Odor: SOLID (WAXY), WHITE, ODORLESS.

Percent Volatiles by Volume: NEGLIE

Stability

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: STABLE.

Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE.

Disposal

Waste Disposal Methods: DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LAWS. INCINERATE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.