
HYSOL HD-3452 HARDENER

MSDS Number

BHCKL

National Stock Number

8040-00-987-3137

Product Name

HYSOL HD-3452 HARDENER

Manufacturer

DEXTER ELECTRONIC MTLs DIV THE DEXTER CORP

Product Identification

Product ID:HYSOL HD-3452 HARDENER

MSDS Date:09/27/1989

FSC:8040

NIIN:00-987-3137

MSDS Number: BHCKL

Responsible Party

DEXTER ELECTRONIC MTLs DIV.,THE DEXTER CORP.

211 FRANKLIN ST.

OLEAN , NY 14760-1297

US

Emergency Phone: 716-372-6309

Info Phone: 716-372-6300

Preparer: JAMES P. HORNBERG

Cage: 04347

Contractor

DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

OLEAN, NY 14760-1297

US

716-372-6300/6309

Cage: 04347

Ingredients

PROPYLENE GLYCOL METHYL ETHER

CAS: 28677-93-2

Fraction By Weight: 10-30%

DIACETONE ALCOHOL (4-HYDROXY-4-METHYL-2-PENTANONE)

CAS: 123-42-2

RTECS: SA9100000

Fraction By Weight: 10-30%

OSHA PEL50 PPM

ACGIH TLV: 50 PPM; 9192

MELAMINE-FORMALDEHYDE RESIN

Fraction By Weight: 10-30%

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:PRODUCT CAUSES EYE, SKIN & RESPIRATORY TRACT IRRITATION. IT MAY BY ABSORBED THROUGH THE SKIN, BUT TOXICITY OF THE INGREDIENT ABSORBED IS LOW, 13-14 GM/KG.
Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.
Effects of Overexposure:MAY CAUSE DIZZINESS, NAUSEA, ANESTHESIA, HEADACHE, AND CENTRAL NERVOUS SYSTEM DEPRESSION. MAY CAUSE EYE, SKIN & RESPIRATORY TRACT IRRITATION.
Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF DERMAL OR RESPIRATORY DISORDERS MAYBE AT INCREASED RISK FROM EXPOSURE.

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. CALL A PHYSICIAN IF DISCOMFORT PERSISTS. EYE: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES. CALL A PHYSICIAN. SKIN: WASH WITH PLENTY OF SOAP & WATER. REM OVE CONTAMINATED CLOTHING/SHOES AND LAUNDRER BEFORE REUSE. INGESTION: IF CONSCIOUS, GIVE 2 GLASSES OF WATER TO DRINK AND INDUCE VOMITING. NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL CARE.

Fire Fighting

Flash Point Method:TCC
Flash Point:94.0F,34.4C
Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:CONTAINERS MAY BURST WHEN EXPOSED TO HEAT OF FIRE.

Accidental Release

Spill Release Procedures:SMALL SPILL: WIPE/SOAK UP WITH PAPER TOWEL OR INERT ABSORBANT. PUT IN DISPOSAL CONTAINER. FLUSH RESIDUE WITH WATER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Exposure Controls

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL(TLV), USE NIOSH/MSHA APPROVED ORGANIC VAPOR CARTRIDGE AND DUST/MIST PRE-FILTER RESPIRATORS AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/ WARNINGS AND NIOSH-RESPIRATOR SELECTION.
Ventilation:MECHANICAL (GENERAL) ROOM VENTILATION IS ADEQUATE IF USE IS ENCLOSED. LOCAL EXHAUST IS NEEDED IF VENTED INTO WORK AREA.
Protective Gloves:NEOPRENE, NITRILE, PVC OR NATURAL RUBBER
Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD
Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. AVOID PROLONGED/REPEATED CONTACT.
Supplemental Safety and Health
THIS MSDS COVERS ONE OF THE HYSOL HARDENERS.

Chemical Properties

HCC:F4

Boiling Pt: B.P. Text: 248F, 120C
Vapor Pres: 12 MM
Vapor Density: 4
Spec Gravity: 1.05
Evaporation Rate & Reference: 22 (ETHYL ETHER)
Solubility in Water: 30%
Appearance and Odor: LOW VISCOSITY AMBER LIQUID, SOLVENT ODOR
Percent Volatiles by Volume: 40

Stability

Stability Indicator/Materials to Avoid: YES
STRONG ACIDS, CAUSTICS, AMINES, AMMONIA, ISOCYANATES
Stability Condition to Avoid: HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE AND OXIDES OF NITROGEN.

Disposal

Waste Disposal Methods: DISPOSE I/A/W FEDERAL, STATE, LOCAL REGULATIONS.
HMIS SUGGESTS INCINERATION.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.