

CAPACITOR 3188 LIQ CONTENT,SER 76-250 VDC

MSDS Number

BHCMF

National Stock Number

5910-00N009047

Product Name

CAPACITOR 3188 LIQ CONTENT,SER 76-250 VDC

Manufacturer

MEPCO CENTRALAB INC (NORTH AMERICAN PHILIPS CO)

Product Identification

Product ID:CAPACITOR 3188 LIQ CONTENT,SER 76-250 VDC

MSDS Date:02/16/1986

FSC:5910

NIIN:00N009047

MSDS Number: BHC MF

Responsible Party

MEPCO/CENTRALAB, INC. (NORTH AMERICAN PHILIPS CO.)

6071 ST. ADREWS ROAD

COLUMBIA , SC 29210

Emergency Phone: 803-772-2500

Info Phone: 803-772-2500

Preparer: ROBBIE L. JENKINS

Cage: 56699

Contractor

MEPCO/CENTRALAB, A NORTH AMERICAN PHILLIPS COMPANY

COLUMBIA, SC 29210-3119

US

803-772-2500

Cage: 56699

Ingredients

NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

Hazards

LD50 LC50 Mixture:N/K

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SYSTEMIC:CAN CAUSE KIDNEY DAMAGE WHICH MAY BE FATAL.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES:SEVERE

IRRITANT.SKIN;IRRITANT.INGESTION:TOXIC HAZARD REVIEW-ACUTE

INGESTION HIGH.INHALATION:IRRITANT.SYSTEMIC:CAN CAUSE INITIAL

CENTRAL NERVOUS SYSTEM STIMULATION FOLLOW BY DEPRESSION.

Medical Cond Aggravated by Exposure:N/K

First Aid

First Aid:FLUSH WITH WATER FOR AT LEAST 15 MIN.GET MEDICAL

ATTENTION.SKIN:WASH AREA.REMOVE CONTAMINATED CLOTHING

IMMEDIATELY.INGESTION:GIVE PLENTY OF WATER.INDUCE VOMITING.GET

MEDICAL ATTENTION.INHALATION:REMOV E TO FRESH AIR.IF NOT BREATHING

GIVE ARTIFICAL RESPIRATION.GIVE OXYGEN,GET MEDICAL ATTENTION.

Fire Fighting

Flash Point Method:TCC
Flash Point:200F,93C
Extinguishing Media:WATER FOG,CARBON DIOXIDE,DRY CHEMICAL.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP,N).WATER MAY CAUSE FROTHING.
Unusual Fire/Explosion Hazard:HAZARDOUS DECOMPOSITION PRODUCTS:CARBON MONOXIDE,CARBON DIOXIDE AND/OR ACETIC ACID VAPORS.

Accidental Release

Spill Release Procedures:PREVENT SPREAD OF SPILL.SWEEP OR SCOOP UP AND REMOVE.ABSORB WITH SAND OR INERT MATERIAL.
Neutralizing Agent:N/K

Handling

Handling and Storage Precautions:DO NOT GET ON EYES,ON SKIN OR NO CLOTHING.DO NOT BREATHE DUST OR MIST.
Other Precautions:EMPTY CONTAINER MAY CONTAIN HAZARDOUS RESIDUE.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN
Ventilation:LOCAL AND GENERAL VENTILATION NECESSARY TO KEEP AIR CONCENTRATION BELOW TLV .MECHANICAL EXHAUST.
Protective Gloves:PVC,NATURAL RUBBER,BUTYL RUBBER.
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:APRON,EMERGENCY EYEWASH.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health
PH:6.5-7.5.FREEZING POINT:BELOW-40C,-40F.SPECIFIC GRAVITY:1.08 AT 25C,77F (WATER=1).

Chemical Properties

Boiling Pt:B.P. Text:>130C,266F
Decomp Temp:Decomp Text:N/K
Vapor Density:>2 (AIR=1)
Spec Gravity:(SEE SUPP DATA)
pH:K
Evaporation Rate & Reference:Solubility in Water:COMPLETE
Appearance and Odor:COLORLESS LIQUID.MILD ODOR.
Percent Volatiles by Volume:100 N/

Stability

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS AND STRONG OXIDIZERS.
Stability Condition to Avoid:OPEN FLAMES,HEAT.
Hazardous Decomposition Products:MAY PRODUCE CARBON DIOXIDE,CARBON MONOXIDE AND/OR ACETIC ACID VAPORS.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

Disposal

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS .MAY BE INCINERATED IN FURNACE WHERE PERMITTED.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.