



TUNGSTEN POWDER OR METAL,AWS 512

MSDS Number

BHCMN

National Stock Number

3439-00-132-6712

Product Name

TUNGSTEN POWDER OR METAL,AWS 512

Manufacturer

TELEDYNE WAH CHANG HUNTSVILLE TELEDYNE INC CO

Product Identification

Product ID:TUNGSTEN POWDER OR METAL,AWS 512

MSDS Date:03/08/1994

FSC:3439

NIIN:00-132-6712

MSDS Number: BHCMN

Responsible Party

TELEDYNE WAH CHANG-HUNTSVILLE TELEDYNE INC CO

7300 HIGHWAY 20 WEST

HUNTSVILLE , AL 35806-2052

US

Emergency Phone: 205-837-0285

Info Phone: 205-837-1311/ FAX 722-2279

Cage: 3G120

Contractor

TELEDYNE WAH CHANG

HUNTSVILLE, AL 35806-2052

US

205-837-0285

Cage: 3G120

Ingredients

TUNGSTEN OXIDE/TUNGSTEN,AS W,SOLUBLE COMPOUNDS.

CAS: 7440-33-7

RTECS: YO7175000

Fraction By Weight: >99%

OSHA PELNOE ESTABLISHED

ACGIH TLV: 1 MG/M3/3 STEL; 9596

Hazards

LD50 LC50 Mixture:LD50 (ORAL, RAT) NOT RELEVANT

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS: EYE, SKIN, RESPIRATORY

TRACT. ACUTE- EYE: PARTICLES MAY CAUSE MECHANICAL IRRITATION. SKIN:

DUST MAY CAUSE IRRITATION. INHALATION: DUST MAY IRRITATE

RESPIRATORY TRACT. ORAL: UNLIKELY TO OCCUR. CHRONIC- LUNG DAMAGE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:MECHANICAL IRRITATION, THERMAL BURNS



First Aid

First Aid:CALL PHYSICIAN IF SYMPTOMS PERSIST. EYE: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN: WASH WITH SOAP & WATER. INHALED: MOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL: I F CONSCIOUS, DRINK LARGE AMOUNT OF WATER & INDUCE VOMITING. CALL PHYSICIAN/POISON CONTROL CENTER AT ONCE. NEVER GIVE FLUID/INDUCE VOMITING IF PATIENT IS UNCONSCIOUS OR HAS CONVULSIONS.

Fire Fighting

Flash Point:FLAMMABLE SOLID
Autoignition Temp:Autoignition Temp Text:1022F
Extinguishing Media:USE CLASS D FIRE EXTINGUISHING AGENTS (DRY POWDER).
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:POWDERED MATERIAL MAY FORM EXPLOSIVE DUST-AIR MIXTURES.

Accidental Release

Spill Release Procedures:REMOVE IGNITION SOURCES. WEAR DUST RESPIRATOR. DAMPEN POWDER OR DUST WITH WATER MIST SPRAY. SWEEP UP AND TRANSFER INTO A SEALABLE WASTE CONTAINER. MINIMIZE GENERATION OF DUST. WASH SPILL AREA THOROUGH LY WITH WATER TO REMOVE RESIDUE.
Neutralizing Agent:NOT RELEVANT

Handling

Handling and Storage Precautions:STORE IN DRY PLACE, IN ORIGINAL CONTAINERS, AWAY FROM STRONG OXIDIZING AGENTS. KEEP OUT OF REACH OF CHILDREN. DO NOT SMOKE IN WORK AREA.
Other Precautions:DO NOT GET IN EYES, ON SKIN/ON CLOTHING. AVOID INHALATION OF DUST. FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY. READ AND FOLLOW ALL LABEL DIRECTIONS AND PRECAUTIONS. WASH AFTER HANDLING. AVOID ACCUMULAT ION OF DUST.

Exposure Controls

Respiratory Protection:NONE NORMALLY REQUIRED. IF AIRBORNE CONCENTRATIONS IS HIGH, WEAR A NIOSH-APPROVED RESPIRATOR FOR DUST.
Ventilation:ADEQUATE
Protective Gloves:LATEX RECOMMENDED
Eye Protection:SAFETY GOGGLES RECOMMENDED
Other Protective Equipment:PROVIDE EYE WASH, SAFETY SHOWER AND LAB COAT.
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.
Supplemental Safety and Health

Chemical Properties

HCC:V4
NRC/State Lic Num:NOT RELEVANT
Boiling Pt:B.P. Text:10652F,5900
Melt/Freeze Pt:M.P/F.P Text:6170F,3410C
Spec Gravity:19.3
Viscosity:NOT RELEVANT
Evaporation Rate & Reference:NOT RELEVANT
Solubility in Water:INSOLUBLE
Appearance and Odor:STEEL GRAY TO TIN WHITE METAL OR POWDER - ODORLESS

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:NONE

Disposal

Waste Disposal Methods:RECYCLE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.



Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.