



EXTERIOR TRIM ENAMEL BROWN

MSDS Number

BSFWD

National Stock Number

8010-01-333-9827

Product Name

EXTERIOR TRIM ENAMEL BROWN

Manufacturer

FARWEST PAINT MFG CO

Product Identification

Product ID:EXTERIOR TRIM ENAMEL BROWN

MSDS Date:03/23/1992

FSC:8010

NIIN:01-333-9827

MSDS Number: BSFWD

Responsible Party

FARWEST PAINT MFG CO

4522 S 133 ST

TUKWILA , WA 98168-3251

US

Emergency Phone: 206-941-1619

Info Phone: 206-244-8844

Cage: 6F266

Contractor

FARWEST PAINT MANUFACTURING CO

TUKWILA, WA 98168

US

206-244-8844

Cage: 6F266

Ingredients

TEXANOL (ESTER ALCOHOL)

CAS: 25265-77-4

RTECS: UF6000000

Fraction By Weight: 4.5%

OSHA PEL100 PPM

ACGIH TLV: 100 PPM

62 G/L

RTECS: 9999999VO

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: PROLONGED INHALATION IN
CONFINED AREAS MAY LEAD TO MUCUS MEMBRANE IRRITATION, DIZZINESS,



HEADACHE. SKIN: IRRITATION. EYES: IRRITATION. INGESTION: AMOUNTS INGESTED INCIDENTAL TO CONSUMER & INDUSTRIAL HANDLING AREN'T LIKELY TO CAUSE INJURY, HOWEVER, INGESTION OF LARGER AMOUNTS COULD CAUSE SERIOUS INJURY.
Medical Cond Aggravated by Exposure:NONE, WHEN USED IN ACCORDANCE WITH SAFE HANDLING INSTRUCTIONS.

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. IF RESPIRATORY SYMPTOMS DEVELOP, SEEK MEDICAL ATTENTION AT ONCE. SKIN: WASH OFF QUICKLY WITH PLENTY OF WATER, THEN SOAP & WATER. EYES: FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER, ESPECIALLY UNDER LIDS, FOR AT LEAST 15 MINUTES. OBTAIN EMERGENCY MEDICAL TREATMENT. INGESTION: IF SWALLOWED, OBTAIN MEDICAL TREATMENT IMMEDIATELY.

Fire Fighting

Extinguishing Media:FOAM, DRY CHEMICAL, WATER FOG OR WATER
Fire Fighting Procedures:WATER MAY BE USED TO COOL AND PROTECT EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:WILL NOT BURN, CLOSED CONTAINERS MAY BURST IF EXPOSED TO EXTREME HEAT OR FIRE.

Accidental Release

Spill Release Procedures:COMPLY WITH ALL APPLICABLE HEALTH AND ENVIRONMENTAL REGULATIONS. VENTILATE AREA. SPILLS MAY BE COLLECTED WITH ABSORBENT MATERIALS.

Handling

Handling and Storage Precautions:AVOID TEMPERATURES BELOW 40F. KEEP FROM FREEZING. STORE CONTAINERS WITH LIDS TIGHTLY CLOSED AND APPROPRIATELY LABELED.
Other Precautions:USE ONLY WITH ADEQUATE VENTILATION. AVOID BREATHING VAPOR AND SPRAY MIST. AVOID CONTACT WITH SKIN AND EYES. REMOVE & WASH CONTAMINATED CLOTHING BEFORE REUSE.

Exposure Controls

Respiratory Protection:IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BELOW APPLICABLE LIMITS BY VENTILATION, WEAR A PROPERLY FITTED ORGANIC VAPOR/PARTICULATE RESPIRATOR APPROVED BY NIOSH/OSHA FOR PROTECTION AGAINST MATERIALS.
Ventilation:LOCAL EXHAUST PREFERABLE, GENERAL EXHAUST ACCEPTABLE.
Protective Gloves:IMPERVIOUS GLOVES
Eye Protection:SAFETY GLASSES W/UNPER SIDE SHIELDS
Other Protective Equipment:EYE WASH AND SAFETY SHOWERS, GOGGLES
Work Hygienic Practices:KEEP WORK AREA CLEAN FROM SPILL OR LEAKS. ALWAYS WASH HANDS THOROUGHLY WITH SOAP & WATER BEFORE HANDLING FOOD, DRINK OR
Supplemental Safety and Health
SMOKING. SMOKE IN DESIGNATED AREAS ONLY.

Chemical Properties

Boiling Pt:B.P. Text:212F,100C
Vapor Pres:23.8
Vapor Density:> AIR
pH:7-8
Evaporation Rate & Reference:SLOWER THAN ETHER
Solubility in Water:INFINITE
Appearance and Odor:THIXOTROPIC LIQUID WITH SLIGHT ODOR; COLOR OF TINT
Percent Volatiles by Volume:7.5

Stability

Stability Indicator/Materials to Avoid:YES
OXIDIZERS AND/OR HYDROFLUORIC ACID
Stability Condition to Avoid:ELEVATED TEMPERATURES, CONTACT WITH OXIDIZING AGENTS.
Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE
Conditions to Avoid Polymerization:ELEVATED TEMPERATURES, CONTACT WITH



OXIDIZING AGENTS.

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE & FEDERAL REGULATIONS. AVOID DISCHARGE TO NATURAL WATERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.