ULTRA NEGACOLOR 2 BLEACH CONCENTRATE

MSDS Number

BHCQH

National Stock Number

6850-00B060007

Product Name

ULTRA NEGACOLOR 2 BLEACH CONCENTRATE

Manufacturer

FUJI HUNT

Product Identification

Product ID:ULTRA NEGACOLOR 2 BLEACH CONCENTRATE
MSDS Date:03/02/1989
FSC:6850
NIIN:00B060007
MSDS Number: BHCQH

Responsible Party

FUJI HUNT

5 GARRET MOUNTAIN PLAZA

WEST PATTERSON , NJ 07424

US

Emergency Phone: 1-800-OLIN-911

Info Phone: 203-356-3449

Preparer: OLIN MSDS CONTROL GROUP

Cage: OO129

Contractor

FUJI HUNT

WEST PATTERSON, NJ 07424

US

1-800-OLIN-911

Cage: OO129

Ingredients

FERRIC AMMONIA

CAS: 21265-50-9

Fraction By Weight: 15-20%

AMMONIA BROMIDE

CAS: 12124-97-9

RTECS: BO9170000

Fraction By Weight: 25-30%

POTASSIUM NITRATE

CAS: 7757-79-1

RTECS: TT3700000

Fraction By Weight: 1-5%

ACETIC ACID (SARA III)

CAS: 64-19-7

RTECS: AF1225000

Fraction By Weight: 1-5%

OSHA PEL10 PPM

ACGIH TLV: 10 PPM/15 STEL; 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ACUTE-SKIN,EYE AND MUCOUS MEMBRANE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. CHRONIC:MAY CAUSE DERMATITIS.
Explanation of Carcinogenicity:NOT KNOWN TO BE A CARCINOGEN.

First Aid

First Aid:SKIN AND EYES-FLUSH WITH WATER FOR 15 MINUTES,CALL A PHYSICIAN. INGESTION-DRINK WATER,INDUCE VOMITING BY STICKING FINGER DOWN THROAT.CALL A PHYSICIAN. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS P ERSON. INHALATION-REMOVE VICTIM TO FRESH AIR. CALL A PHYSICIAN.

Fire Fighting

Flash Point:NOT FLAMMABLE
Extinguishing Media:CHOOSE EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING MATERIALS.
Fire Fighting Procedures:WATER SPRAY SHOULD BE USED TO COOL FIRE EXPOSED CONTAINERS AND/OR TO DISPERSE VAPORS. USE NIOSH/MSHA APPROVED POS. PRESS. SCBA IF MATERIAL IS INVOLVED IN A FIRE

Accidental Release

Spill Release Procedures:WEAR NIOSH/MSHA APPROVED POSITIVE PRESSURE SUPPLIED AIR RESPIRATOR. FOLLOW OSHA REGULATIONS FOR RESPIRATOR USE (SEE 29CFR1910.134). WEAR GOGGLES,COVERALLS,NEOPRENE GLOVES AND BOOTS. ISOLATE SPILL BY D IKING. STOP SOURCE OF LEAK AND TRY ABSORBENT.

Handling

Handling and Storage Precautions:AVOID CONTACT WITH EYES,SKIN OR CLOTHING. DO NOT TAKE INTERNALLY. FOR SKIN/EYE CONTACT WASH WITH WATER. AVOID BREATHING MIST OR VAPOR.
Other Precautions:STORE IN COOL,DRY,WELL-VENTILATED PLACE.AVOID STRONG ALKALIES.

Exposure Controls

Ventilation:LOCAL MECHANICAL EXHAUST VENTILATION RECOMMENDED TO MINIMIZE EMPLOYEE EXPOSURE.
Protective Gloves:NEOPRENE.
Eye Protection:GOGGLES.
Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:100C
Vapor Pres:15 MM HG
Spec Gravity:1.34 H2O=1
pH:6.0
Evaporation Rate & Reference:1 H2O=1,BUTYLACETATE=1

Solubility in Water:COMPLETE
Appearance and Odor:ODORLESS,REDDISH BROWN SOLUTION.

Stability

Stability Indicator/Materials to Avoid:YES
STRONG ALKALIES (RELEASE AMMONIA VAPORS).
Stability Condition to Avoid:EXCESS HEAT.
Hazardous Decomposition Products:AMMONIA.

Disposal

Waste Disposal Methods:DISPOSE OF CONTAMINATED PRODUCT.EMPTY CONTAINERS AND MATERIALS USED IN CLEANING UP SPILLS OR LEAKS AS APPROVED. CONSULT APPROPRIATE FEDERAL,STATE AND LOCAL REGULATORY AGENCIES FOR PROPER DISPOSAL PROC EDURES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.