

LUBRICATING OIL (SEE ADD DATA)

MSDS Number

BHCRV

National Stock Number

9150-00-191-2772

Product Name

LUBRICATING OIL (SEE ADD DATA)

Manufacturer

IMPERIAL OIL CO INC

Product Identification

Product ID:LUBRICATING OIL (SEE ADD DATA)

MSDS Date:09/18/1990

FSC:9150

NIIN:00-191-2772

MSDS Number: BHCRV

Responsible Party

IMPERIAL OIL CO.,INC

ORCHARD PLACE

MORGANVILLE , NJ 07751

Emergency Phone: 201-591-9400

Info Phone: 201-591-9400

Preparer: WILLIAM J. MAHONEY

Cage: 58563

Contractor

IMPERIAL OIL CO INC

279

MORGANVILLE, NJ 07751

US

732-591-8825

Cage: 58563

Ingredients

LUUBE OIL BASE STOCK

CAS: 64741-88-4

RTECS: PY8040500

Fraction By Weight: 94-96%

OSHA PEL5 MG/M3 OIL MIST

ACGIH TLV: 5 MG/M3 MIST

ADDATIVES -EXXON PROPRIETARY-

Fraction By Weight: 4-6%

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT IS ALMOST HARMLESS IN NORMAL USE. IT IS MILDLY IRRITATING IF CONTACT IS PROLONGED OR REPEATED. MOST HAZARDOUS EXPOSURE IS INHALATION OF AN OIL MIST(SHOULD ONE BE FORMED)CAUSING PULMONARY DAMAG E.
Effects of Overexposure:EYE;MILD IRRITATION SKIN:IRRITATION WITH PROLONGED REAPEATED.CONTACT.
Medical Cond Aggravated by Exposure:NONE (PULMONARY CONDITIONS IF MIST IS INHALED)

First Aid

First Aid:EYE:FLUSH WITH WATER 15 MIN. SKIN:REMOVE CONTAMINATED CLOTHING. WASH AREA WITH SOAP AND WATER. LAUNDER CLOTHING BEFORE REUSE. INHALED:REMOVE FROM EXPOSURE. GIVE ARTIFICIAL RESPIRATION OR OXYGEN IF NEE DED. INGESTED:DO NOT INDUCE VOMITING. GIVE WATER OR MILK. (NOTHING BY MOUTH IF UNCONSCIOUS) GET IMMEDIATE MEDICAL CARE. IF SYMPTOMS PERSIST OR ARE SEVERE,GET MEDICAL CARE.

Fire Fighting

Flash Point:440F/230C
Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,FOAK,WATER FOG.
Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS.WATER MAY BE USED TO COOL FIRE EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:CONTAIN SPILL. RECOVER AS LIQUID IF POSSIBLE. ADSORB REMAINDER WITH SAND,EARTH,SAWDUST OR OTHER INERT MATERIAL.DO NOT ALLOW TO ENTER SEWER,WATERWAY,ETC.
Neutralizing Agent:NONE

Handling

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL VENTILATED AREA.
Other Precautions:PRODUCT IS COMBUSTABLE. USE CAUTION AROUND HEAT,FLAME,IGNITION SOURCES.

Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR EQUIPPED WITH CARTRIDGE FOR OIL/MISTS OR SUPPLIED AIR RESPIRATOR IF EXPOSED ABOVE TLV/PEL.
Ventilation:USE NORMAL ROOM VENTILATION
Protective Gloves:RUBBER,PLASTIC,OTHER IMPERVIOUS
Eye Protection:SAFETY GLASSES OR SPLASH GOGGLES
Other Protective Equipment:RUBBER/PLASTIC APRON.AND BOOTS IF SPLASHING IS LIKELY.
Work Hygienic Practices:USE GOOD INDUSTRIAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT.
Supplemental Safety and Health
IMPERIAL OIL PREPARED MSDS & REFERRS READER TO EXXON PHONE IS 713-656-3424.

Chemical Properties

HCC:V6
Boiling Pt:B.P. Text:600F,316C
Vapor Pres:1 MM
Vapor Density:1
Spec Gravity:1
Viscosity:GRADE 10W
Evaporation Rate & Reference:Solubility in Water:INSOLUBLE
Appearance and Odor:DARK AMBER LIQUID, NO ODOR.

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:IF BURNED;CARBON DIOXIDE,CARBON MONOXIDE,NITROGEN OXIDES,SULFUR COMPOUNDS.

Disposal

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL,REGULATIONS.
HMIS SUGGESTS INCINERATION.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.