

SWEEPING COMPOUND

MSDS Number

BHCXL

National Stock Number

7930-00-132-5265

Product Name

SWEEPING COMPOUND

Manufacturer

FRANK MILLER AND SONS INC

Product Identification

Product ID: SWEEPING COMPOUND

MSDS Date: 03/24/1988

FSC: 7930

NIIN: 00-132-5265

MSDS Number: BHCXL

Responsible Party

FRANK MILLER & SONS, INC.

13831 SO. EMERALD AVENUE

CHICAGO , IL 60627

US

Emergency Phone: 312-468-3500

Info Phone: 312-468-3500

Preparer: RICHARD L. KUDIA

Cage: DO285

Contractor

MILLER FRANK AND SONS INC

CHICAGO, IL 60627-1605

US

312-468-3500

Cage: 85702

Ingredients

PETROLEUM DISTILLATE

CAS: 8002-05-9

RTECS: SE7449000

Fraction By Weight: 10-14%

CELLULOSE (PAPER FIBER)

CAS: 9004-34-6

RTECS: FJ5691460

Fraction By Weight: 30-40%

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3; 9192

SAND

CAS: 112945-52-5

RTECS: VV7310000

Fraction By Weight: 45-50%

Hazards

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Effects of Overexposure:EYE IRRITATION; SKIN IRRITATION OR DERMITITIS.

First Aid

First Aid:RINSE EYE WITH COPIOUS AMOUNTS OF WATER, SEEK PHYSICIAN IF NECESSARY. WASH SKIN WITH SOAP AND WATER.

Fire Fighting

Flash Point:NA
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:NORMAL AGENTS FOR EXTINGUISHING WOOD FIRES, WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL
Fire Fighting Procedures:MATERIAL WILL SUPPORT COMBUSTION. MAY BE DRENCHED W/WATER TO REDUCE FIRE HAZARD.MATERIAL MAY SMOLDER AFTER IT IS INVOLVED IN A FIRE.
Unusual Fire/Explosion Hazard:SPREAD MATERIAL OUT AND BE SURE FIRE IS EXTINGUISHED.

Accidental Release

Spill Release Procedures:SWEEP UP MATERIAL AND RETURN TO CONTAINER OR DICARD.

Handling

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE IN COOL, DRY PLACE. READ LABEL CAUTIONS AND DIRECTIONS BEFORE USE.
Other Precautions:KEEP OUT OF THE REACH OF CHILDREN.

Exposure Controls

Respiratory Protection:USUALLY NOT REQUIRED
Ventilation:FRESH AIR
Protective Gloves:RECOMMENDED PERSONS SENSITIVE TO PETROL M
Eye Protection:GENERALLY NOT REQUIRED
Work Hygienic Practices:USE NORMAL GOOD HOUSEKEEPING PRACTICES.
Supplemental Safety and Health
NK

Chemical Properties

Boiling Pt:B.P. Text:NA
Melt/Freeze Pt:M.P/F.P Text:NA
Decomp Temp:Decomp Text:NA
Vapor Pres:NA
Vapor Density:NA
Spec Gravity:5.20 #/GAL.
pH:NA
Evaporation Rate & Reference:NA
Solubility in Water:INSOLUABLE
Appearance and Odor:BROWN TO TAN GRANULAR MATERIAL, SLIGHT PETROLEUM ODOR
Percent Volatiles by Volume:NA
Corrosion Rate:NA

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS
Stability Condition to Avoid:IGNITION SOURCES
Hazardous Decomposition Products:CARBON DIOXIDE CARBON MONOXIDE IF

BURNED

Disposal

Waste Disposal Methods: MATERIAL MAY BE DUMPED, BUT FOLLOW LOCAL POLLUTION ORDINANCES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.